www.prscorp.net

Paquette Railway Solutions

Current Rolling Stock

Raymond Paquette

 $rpaquette @\,prscorp.net$ Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

Table Of Contents

Box Cars		3
Box Car Groups		3
B-01.28.25-00		3
B-02.27.25-00		4
B-02.27.25-01		5
B-03.22.24-00		6
B-06.03.24-00		7
B-08.14.23-00		8
B-08.14.23-01		9
B-08.24.22-00		. 10
Mechanical Refrigerator Groups	 .	. 11
BMR-10.19.23-00		. 11
BMR-10.19.23-01		. 12
Flatcars	 .	. 13
COFC/TOFC Groups	 .	. 13
FCO-02.11.25-00		. 13
FCO-07.19.24-00		. 14
General Purpose Flatcar Groups	 .	. 15
FG-02.13.25-00		. 15
PAX Flatcar Groups	 .	. 16
FPX-08.01.24-00		. 16
Gondolas		. 17
Container Well Gondola Groups		. 17
GCW-05.16.23-00		. 17
Flat Bottom Gondola Groups		. 18
GFR-09.07.23-00		. 18
GFR-12.16.24-00		. 19
Mill Gondola Groups		. 20
GM-03.26.25-00		. 20
Tub Gondola Groups		. 21
GT-03.12.24-00		. 21
GT-03.17.25-00		. 22
GT-03.17.25-01		. 23
GT-08.07.23-00		. 24
GT-08.28.24-00		. 25
GT-09.07.23-00		. 26
Woodchip Gondola Groups		. 27
GW-03.17.25-00		. 27
GW-03.17.25-01		. 28
Hoppers	 .	. 29
Covered Hopper Groups	 .	. 29

Current Rolling Stock

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

www.prscorp.net

HC-01.27.23-00	29
HC-01.29.25-00	30
HC-02.01.24-00	31
HC-02.28.24-00	32
HC-04.04.24-00	33
HC-08.01.24-00	34
HC-08.09.24-00	35
HC-09.07.23-00	36
HC-11.22.22-00	37
Covered Plastic Hopper Groups	38
HCP-09.21.22-00	38
HCP-12.10.24-00	39
Covered PD Hopper Groups	40
HCPD-02.09.24-00	40
HCPD-04.04.24-00	41
Open Hopper Groups	42
HO-01.03.25-00	42
HO-02.27.24-00	43
Rapid Discharge Hopper Groups	44
HRD-01.23.25-00	44
Locomotives	45
Locomotive Groups	45
L-01.16.25-00	45
L-01.30.25-00	46
L-06.27.23-00	47
L-08.14.24-00	49
L-11.09.23-00	50
Misc Rail Items	51
Misc Groups	51
M-03.26.21-00	51
M-04.12.23-01	52
M-04.12.23-02	53
M-06.13.24-00	54
M-11.14.23-00	55
Tank Cars	56
Tank Car Groups	56
T-05.10.24-00	56
T-06.24.21-00	57
T-07.07.22-00	58
T-07.16.24-00	59
T-07.17.24-00	60
	61
T-11.12.24-00	62

www.prscorp.net

Paquette Railway Solutions Current Rolling Stock

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

B-01.28.25-00

Category:	Box Car
AAR Car Type:	A402
Sale Type:	Lease Only
Year(s) Built:	1975
Cubes:	5090cu
Load Cap:	70ton
Length:	55ft 7in outside
Quantity Avail:	1
Notes:	

Expounding Info:

XP - Box-Non-Insulated, Specially Equipped for Specific

Commodities

Equipment Type A402 Built Date 10.01.1975

Gross Rail Load. Weight 220000 lb

Tare Weight 58800 lb Load Limit 161200 lb Cubic 5090 cuft

Plate Code B

Outside Length 55 Ft 7 In

Outside Extreme Width 10 Ft 8 In Outside Extreme Height 15 Ft 0 In Outside Height Extr Width 13 Ft 7 In Outside Upper Eaves Width 10 Ft 0 In Outside Upper Eaves Hght 14 Ft 4 In

Inside Length 50 Ft 6 In Inside Width 9 Ft 6 In Inside Height 10 Ft 7 In

Truck Center Length 40 Ft 10 In Single Sliding Doors

Box Side Door Centered Side Door Width 10 Ft 0 In Side Door Height 10 Ft 0 In

Floor Material Steel Nailable Reinforced includes alternate

wood and steel floor

FIr Strength 50K 50000 Pounds

Lading Strap Anchor Yes

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-01.28.25-00



Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

B-02.27.25-00

Category:	Box Car
AAR Car Type:	A405
Sale Type:	Sale or Lease
Year(s) Built:	1979
Cubes:	5300
Load Cap:	70ton
Length:	57ft3in Extream
Quantity Avail:	18
Notes:	

Expounding Info:

AAR car type A405
Doors single Center 10ft Plug
Builder ACF
Cush underframe
Inside Ht. 11ft
Extreme Ht. 15ft 5in
Inside Length 50ft 7in
Extreme Length 57ft 3in
Inside Width 9ft 6in
Extreme Width 10ft 6in
Nailable steel floors
50K floors
Cu 5300ft

Tare 62400Lbs

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=B-02.27.25-00

Notes:

Paquette Railway Solutions

Current Rolling Stock

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

www.prscorp.net

B-02.27.25-01

Category:	Box Car
AAR Car Type:	A302
Sale Type:	Sale or Lease
Year(s) Built:	1979
Cubes:	5492cu
Load Cap:	70ton
Length:	57ft 1in Extreme len
Quantity Avail:	5

Expounding Info:

AAR 302 Inside Height 11ft Extreme Height 15ft 5in Inside Length 50ft 6in Extreme Length 57ft 1in Inside Width 9ft 6in Extreme Width 10ft 8in

50k floor

Nailable steel floors

5492 cu

Tare 64000lbs.

Plate C

Steel lined

10ft Centered sliding doors

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-02.27.25-01

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

B-03.22.24-00

Category:	Box Car
AAR Car Type:	A405
Sale Type:	Sale or Lease
Year(s) Built:	1979
Cubes:	5300
Load Cap:	70ton
Length:	50ft 7in inside
Quantity Avail:	24
Notes:	

Expounding Info:

Equipment Type Code A405

Partial free move Available in late May or June

Lease Returns Sale or Lease Plate Code C

Gross Rail Load/Weigh 220000 lb

Tare Weight 62400 lb Load Limit 157600 lb

Cubic Feet Capacity 5300 cuft

Outside Length 57 Ft 3 In

Outside Extreme Width 10 Ft 6 In
Outside Extreme Height 15 Ft 5 In
Outside Height Extr Width 14 Ft 3 In
Outside Upper Eaves Width 10 Ft 0 In
Outside Upper Eaves Hght 14 Ft 8 In
Outside Lower Eaves Width 10 Ft 0 In
Outside Lower Eaves Hght 14 Ft 5 In

Inside Length 50 Ft 7 In Inside Width 9 Ft 6 In Inside Height 11 Ft 0 In

Side Door Type B102 - Single Plug Doors Box Side Door Orientation C - Centered

Side Door Width 10 Ft 0 In Side Door Height 10 Ft 3 In

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-03.22.24-00

www.prscorp.net

Paquette Railway Solutions

Current Rolling Stock

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

B-06.03.24-00

Category:	Box Car
AAR Car Type:	A603
Sale Type:	Sale or Lease
Year(s) Built:	1979/80
Cubes:	6385
Load Cap:	100ton

60ft 10in inside

Quantity Avail: 41

Notes:

Length:

Expounding Info:

Mechanical Designation UMMD XP XP - Box-Non-Insulated,

Specially Equipped for

Equipment Type Code A603

There are 41 cars 30 built in 1979, and (10) in 1980.

Years Service

Gross Rail 263000 lb Tare Weight 72100 lb

Load Limit 190900 lb

Cubic Feet 6385 cuft

Plate Code C

Outside Length 67 ft 11 in

Outside Extreme Width 10 ft 6 in

Outside Extreme Height 15 ft 5 in

Outside Height Extr Width 14 ft 3 in

Outside Upper Eaves Width 10 ft 0 in

Outside Upper Eaves Hght 14 ft 8 in

Outside Lower Eaves Width 10 ft 0 in

Outside Lower Eaves Hght 14 ft 5 in

Inside Length 60 ft 10 in

Inside Width 9 ft 6 in

Inside Height 11 ft 0 in

Truck Center Length 46 ft 3 in

Side Door Type Single Sliding Doors

Box Side Door Orientation Centered

Side Door Width 12 ft 0 in

Side Door Height 10 ft 5 in

Floor Material Steel Nailable, Reinforced (includes

alternate

wood and steel floor

FIr Strength 50000 Pounds

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-06.03.24-00

Notes:

Paquette Railway Solutions

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

B-08.14.23-00

Category:	Box Car
AAR Car Type:	A402
Sale Type:	Sale Only
Year(s) Built:	1974
Cubes:	5077
Load Cap:	100ton
Length:	55ft 8in outside
Quantity Avail:	8

Expounding Info:

XP - Box-Non-Insulated

Sale only

Type Code A402

Built Date 12/01/1974

End of Service Date 12/01/2024 Gross Rail Load/Weight 263000 lb

Tare Weight 64000 lb Load Limit 199000 lb Cubic Feet 5077 cuft

Plate Code B

Outside Length 55 Ft 8 In

Outside Extreme Width 10 Ft 8 In Outside Extreme Height 14 Ft 9 In Outside Height Extr Width 13 Ft 8 In Outside Upper Eaves Width 10 Ft 0 In Outside Upper Eaves Hght 14 Ft 3 In

Inside Length 50 Ft 6 In Inside Width 9 Ft 6 In Inside Height 10 Ft 7 In

Truck Center Length 40 Ft 10 In

Single Sliding Doors

Box Side Door C - Centered Side Door Width 10 Ft 0 In

Side Door Height 10 Ft 0 In

Floor Material 23 - Steel Nailable (includes alternate wood

and steel floor

Flr Strength 50K - 50000 Pounds

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-08.14.23-00



Notes:

Paquette Railway Solutions Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

B-08.14.23-01

Category:	Box Car
AAR Car Type:	A403
Sale Type:	Sale Only
Year(s) Built:	1974
Cubes:	5283
Load Cap:	70ton
Length:	50ft 7in inside
Quantity Avail:	10

Expounding Info:

XP - Box-Non-Insulated Type Code A403

Sale only

Built Date 06/01/1974

End of Service Date 06/01/2024 Gross Rail Load/Weight 220000 lb

Tare Weight 67800 lb Load Limit 152200 lb

Cubic Feet Capacity 5283 cuft

Plate Code C

Outside Length 57 Ft 10 In

Outside Extreme Width 10 Ft 7 In Outside Extreme Height 15 Ft 3 In Outside Height Extr Width 5 Ft 5 In Outside Upper Eaves Width 9 Ft 6 In Outside Upper Eaves Hight 14 Ft 8 In

Inside Length 50 Ft 7 In Inside Width 9 Ft 6 In Inside Height 10 Ft 11 In

Truck Center Length 40 Ft 10 In

Double Sliding Doors

Box Side Door Orientation C - Centered

Side Door Width 16 Ft 0 In Side Door Height 10 Ft 4 In

Floor Material Steel Nailable, Reinforced (includes

alternate wood and steel floor FIr Strength 50K - 50000 Pounds

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-08.14.23-01



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

B-08.24.22-00

Category:	Box Car
AAR Car Type:	A402
Sale Type:	Sale or Lease
Year(s) Built:	1979
Cubes:	5347
Load Cap:	70ton
Length:	50ft
Quantity Avail:	6
Notes:	

Expounding Info:

Equipment Type A402

Sale or lease

Gross Rail Load220000 lb Tare Weight 62900 lb Load Limit 157100 lb Cubic Feet 5347 cuft

Plate Code C

Standard Draft Gear

Outside Length 57 Ft 3 In

Outside Extreme Width 10 Ft 8 In Outside Extreme Height 15 Ft 6 In Outside Height Extr 13 Ft 3 In Outside Upper Eaves 9 Ft 7 In

Outside Upper Eaves Hght 14 Ft 10 In Outside Lower Eaves Width 10 Ft 0 In Outside Lower Eaves HghtA18914 Ft 6 In

Inside Length 50 Ft 6 In Inside Width 9 Ft 6 In Inside Height 11 Ft 1 In

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-08.24.22-00

www.prscorp.net

Notes:

Paquette Railway Solutions **Current Rolling Stock**

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

BMR-10.19.23-00

Mechanical Refrigerator
R360
Sale Only
4544cu
100ton
63ft 4in outside
10

Expounding Info:

Mechanical Designation Box-Refrigerator (Mechanical) Sale only

Cars have previously been through the ILS process and are approved for operation until 2035

Railroads AAR Rule 88 Increased Life Status ILS program for service of up to 65 years. Cars will operate the freight cars in interchange service over many portions of the North American railroad network, including all Class I, regional, and switching railroads

Can be directed to locations on BNSF or UP without charge after being released from prior loading

Equipment Type Code R360

Extended Service A096 1 1st ILS Inspection, additional 5

years of Service

Maint of Way Service Type B403 Built Date BLDT 05/01/1970 Rebuilt / ILS Date 05/01/2001 Gross Rail Load/Weight 263000 lb

Tare Weight 89900 lb Load Limit 173100 lb

Cubic Feet Capacity 4544 cuft

Plate Code C

Outside Length 63 ft 4 in

Outside Extreme Width 10 ft 8 in Outside Extreme Height A15 ft 6 in

Outside Height Extr Width 8 ft 6 in Outside Upper Eaves Width 10 ft 0 in

Outside Upper Eaves Hght 14 ft 1 in

Inside Length 54 ft 7 in Inside Width 9 ft 0 in

Inside Height 9 ft 3 in

Truck Center Length 45 ft 9 in Side Door Type Single Plug Doors

Box Side Door C - Centered

Side Door Width 10 ft 6 in

Side Door Height 8 ft 8 in

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=BMR-10.19.23-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

BMR-10.19.23-01

Category:	Mechanical Refrigerator
AAR Car Type:	R661
Sale Type:	Sale Only
Year(s) Built:	2000/2001
Cubes:	7883
Load Cap:	286cap
Length:	82ft 2in
Quantity Avail:	20
Notes:	

Expounding Info:

AAR Car type R661 Mech Reefer temperature controlled

mechanically refrigerated boxcars

Boxcars are equipped with an ARX loading system detail on

the racking system are available

Sale only

Gross Rail Load/Weight 286000 lb

Tare Weight 110500 lb Load Limit 175500 lb

Weighing Date 12/01/2000

Plate Code F

Outside Length 82 Ft 2 In

Outside Extreme Width 10 Ft 5 In Outside Extreme Height 17 Ft 0 In Outside Height Extr Width 3 Ft 7 In Outside Upper Eaves Width 10 Ft 0 In Outside Upper Eaves Hght 16 Ft 7 In Outside Lower Eaves 10 Ft 5 In

Outside Lower Eaves Hght 16 Ft 0 In

Inside Length 72 Ft 2 In
Inside Width 9 Ft 2 In
Inside Height 11 Ft 11 In
Truck Center Length 52 Ft 0 In
Side Door Type Single Plug Doors
Box Side Door C - Centered

Side Door Width 10 Ft 0 In Side Door Height 11 Ft 3 In Floor Material Reinforced

Flr Strength Class 50K - 50000 Pounds

Refrigeration Fuel Type Diesel

Refrigeration Level Wide Range (Frozen to Non-Frozen)

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=BMR-10.19.23-01



Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

FCO-02.11.25-00

Category:	COFC/TOFC
AAR Car Type:	P740
Sale Type:	Sale Only
Year(s) Built:	Out of date
Load Cap:	70ton
Quantity Avail:	3
Notes:	

Expounding Info:

AAR Car type code P740
For sale out of date
Outside Length 88ft
Outside Extreme Ht. 7ft 8in
Out side Extreme Width 10ft 2in
Height of Extreme Width 6ft 0in
Max weight to rail 220000lbs.
Tare 60700lbs.

Load Limit 159300lbs

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=FCO-02.11.25-00



Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

FCO-07.19.24-00

Category:	COFC/TOFC
AAR Car Type:	In Plant
Sale Type:	Sale Only
Load Cap:	heavy duty
Length:	89ft 4in
Quantity Avail:	2
Notes:	

Expounding Info:

Flatcar are very heavy duty and will support 150,000 lbs. at

their 66ft 0in truck centers. Specifications are as follows: Coupled Length 94ft 0in Deck Length 89ft 4in

Deck Width 9ft 0in Truck Centers 66ft 0in

Capacity at 66ft truck centers 150,000 lbs.

2 complete 89ft rail cars for in plant captive use delivered

to Tulsa, OK on their own wheels. 22500 each

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=FCO-07.19.24-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

FG-02.13.25-00

Category:	General Purpose Flatcar
AAR Car Type:	F302
Sale Type:	Sale Only
Year(s) Built:	1975
Load Cap:	100ton
Length:	65ft 10in outside
Quantity Avail:	25
Notes:	

Expounding Info:

Equipment Type Code F302

Ordinary flat car for general service.

cars has flooring laid over sills and without sides or ends.

Mechanical Designation FM - Flat-Straight Deck

Built Date 10/01/1975

End of Service Date 10/01/2025 Do Not Load After 09/01/2025 Gross Rail Load/Weight 263000 lb

Tare Weight 65000 lb Load Limit 198000 lb

Plate Code C

Outside Length 65 Ft 10 In Outside Extreme Width 10 Ft 3 In Outside Extreme Height 14 Ft 8 In Outside Height Extr Width 3 Ft 8 In

61ft4in end sill to end sill Inside Length 56 Ft 8 Inside

Width 10 Ft 3 In

Truck Center Length 49 Ft 0 In Inset Stake Pkts Plat Wdt 9 Ft 3 In Platform Hght Above Rail 3 Ft 8 In

Truck Count 2 Axle Count 4

Wheel Bearing Type R Roller Equipment Builder Thrall Floor Material Wood

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=FG-02.13.25-00



Notes:

Paquette Railway Solutions

Current Rolling Stock

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

FPX-08.01.24-00

Expounding Info:

Category:	PAX Flatcar
AAR Car Type:	S168
Sale Type:	Sale Only
Year(s) Built:	1990
Cubes:	Articulated, 40ft Well Cars,
Load Cap:	795000
Length:	Articulated, 40ft We
Quantity Avail:	10

Number Available 10.5 packs 50 platforms

Built Date 1990 Builder Gunderson Mechanical Designation **FCWA** Car Type Code S162

Construction Articulated, 40ft

Well Cars, 5 packs

GRL 795000 Light Weight 177000 Compartments 5

Clearance Diagram Plate H Last commodity Containers Availability **Immediate**

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=FPX-08.01.24-00



Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GCW-05.16.23-00

Category:	Container Well Gondola	E
AAR Car Type:	3pkt dbl stack	
Sale Type:	Sale Only	4
Load Cap:	100ton	7
Length:	40ft	
Quantity Avail:	300	

Expounding Info:

40ft 3pack double stack well cars

Sale only

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GCW-05.16.23-00

Notes:



Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GFR-09.07.23-00

Category:	Flat Bottom Gondola
AAR Car Type:	J301
Sale Type:	Lease Only
Year(s) Built:	1985
Cubes:	4300cu
Load Cap:	286cap
Length:	53ft 1in
Quantity Avail:	35
Notes:	

Expounding Info:

GT - Gondola-High Sides and Ends Alum - for Unloading in

Dumping Machines Only

Lease Only

Equipment Type Code J301 Some freight assistance

E - Built new from July 1,1974, Qualified for 50 Years

Service

Gross Rail Load/Weight 286000 lb

Tare Weight 47300 lb Load Limit 238700 lb

Cubic Feet Capacity 4300 cuft

Plate Code B

Outside Length 53 Ft 1 In Outside Extreme 10 Ft 8 In Outside Extreme 13 Ft 0 In

Outside Height Extr Width 13 Ft 0 In Outside Upper Eaves Width 10 Ft 8 In Outside Upper Eaves Hght 13 Ft 0 In

Inside Length 47 Ft 0 In Inside Width 9 Ft 10 In Inside Height 9 Ft 4 In

Truck Center Length 40 Ft 6 In

Equipment Builder Greenville Steel Car

Floor Material 01 - Aluminum Gondola Floor Design Flat Bottom

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GFR-09.07.23-00



Raymond Paquette

 $rpaquette @\,prscorp.net$ Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GFR-12.16.24-00

Category:	Flat Bottom Gondola	Expounding Info:
AAR Car Type:	Flat Bottom	
Sale Type:	Sale Only	Ten 4000 cuft gondolas, flat bottom, steel.
Year(s) Built:	76/79	One car built 1976 Six cars built 1977
Cubes:	4000	Two cars built 1978
Load Cap:	100ton	One car built 1979
Length:	53ft 1in	Inside length 46 ft 11 in
Quantity Avail:	10	inside width 8 ft 8 in
Notes:		inside height 9 ft 2 in
		outside length 53 ft 1in
		4012 cubic capacity
		Approximate tare 60,000lbs
		263,000# GRL

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GFR-12.16.24-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GM-03.26.25-00

Category:	Mill Gondola
AAR Car Type:	E534
Sale Type:	Lease Only
Year(s) Built:	1980
Cubes:	2244
Load Cap:	100ton
Length:	52ft 6in
Quantity Avail:	23
Notes:	

Expounding Info:

GBS - Gondola-Flat Bottom Equipment Type Code E534

Built Date 01/01/1981

Gross Rail Load/Weight 263000 lb

Tare Weight 62900 lb Load Limit 200100 lb

Cubic Feet Capacity 2244 cuft

Plate Code B

Outside Length 56 Ft 11 In

Outside Extreme Width 10 Ft 7 In Outside Extreme Height 8 Ft 1 In Outside Height Extr Width 8 Ft 1 In Outside Upper Eaves Width 10 Ft 7 In Outside Upper Eaves Hght 8 Ft 1 In

Inside Length 52 Ft 6 In Inside Width 9 Ft 6 In Inside Height 4 Ft 6 In

Truck Center Length 43 Ft 5 In Body Material Standard Steel Floor Material Standard Steel

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GM-03.26.25-00



Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GT-03.12.24-00

Category:	Tub Gondola
AAR Car Type:	J312
Sale Type:	Sale or Lease
Year(s) Built:	80/85
Cubes:	4240
Load Cap:	100ton
Length:	53ft 1in
Quantity Avail:	74
Notes:	

Expounding Info:

Mechanical Designation GT - Gondola-High Sides and Ends -

for Unloading in Dumping Machines Only

Sale or Lease

Equipment Type Code J312

Extended Service R - Rule 88, Rebuilt cars

Gross Rail Load/Weight 263000 lb

Tare Weight 53000 lb

Load Limit 210000 lb

Cubic Feet Capacity 4240 cuft

Plate Code C

Outside Length 53 Ft 1 In

Outside Extreme Width 10 Ft 8 In Outside Extreme Height 12 Ft 4 In Outside Height Extr Width 11 Ft 2 In

Outside Upper Eaves Width 10 Ft 8 In

Outside Upper Eaves Hght 12 Ft 4 In

Inside Length 48 Ft 0 In Inside Width 9 Ft 10 In

Body Material 19 - Standard Steel Floor Material 19 - Standard Steel

Gondola Floor Design D - Depressed Bottom

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GT-03.12.24-00



Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GT-03.17.25-00

Category:	Tub Gondola
AAR Car Type:	E707
Sale Type:	Sale Only
Year(s) Built:	1996
Cubes:	8200
Load Cap:	286cap
Length:	72ft 1in outside
Quantity Avail:	38
Notes:	

Expounding Info:

Gondola-High Sides and Ends, Specially Equipped

Equipment Type E707

Double Tub

Body Material Standard Steel

Gross Rail Load/Weight 286000 lb

Tare Weight 73600 lb Load Limit 212400 lb

Cubic Feet Capacity 8200 cuft

Built 1996 Plate Code F

Outside Length 72 Ft 1 In

Outside Extreme Width 9 Ft 11 In

Outside Extreme Height 16 Ft 3 In

Outside Height Extr Width 16 Ft 2 In Outside Upper Eaves Width 9 Ft 11 In

Outside Upper Eaves Hght 16 Ft 2 In

Inside Length 67 Ft 5 In

Inside Width 9 Ft 1 In

Inside Height 13 Ft 11 In

Truck Center Length 59 Ft 6 In

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GT-03.17.25-00



Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GT-03.17.25-01

Category:	Tub Gondola
AAR Car Type:	J303
Sale Type:	Sale Only
Year(s) Built:	1979
Cubes:	7110
Load Cap:	100ton
Length:	65ft 0in Outside
Quantity Avail:	57
Notes:	

Expounding Info:

Equipment Type Code J303

Built 1979

Body Material Standard Steel

GT - Gondola-High Sides and Ends - for Unloading in Dumping

Machines Only

Gross Rail Load/Weight 263000 lb

Tare Weight 72200 lb Load Limit 190800 lb Cubic Feet 7110 cuft

Plate Code F

Outside Length 65 Ft 0 In

Outside Extreme Width 10 Ft 8 In Outside Extreme Height 16 Ft 3 In Outside Height Extr Width 16 Ft 3 In Outside Upper Eaves Width 10 Ft 6 In Outside Upper Eaves Hght 16 Ft 3 In Inside Length 60 Ft 6 In

Inside Length 60 Ft 6 In Inside Width 9 Ft 10 In Inside Height 12 Ft 8 In

Truck Center Length 49 Ft 0 In

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GT-03.17.25-01



Notes:

Paquette Railway Solutions Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GT-08.07.23-00

Category:	Tub Gondola
AAR Car Type:	J311
Sale Type:	Sale or Lease
Year(s) Built:	1984/2006
Cubes:	4520cu
Load Cap:	286cap
Length:	53ft 1in outside
Quantity Avail:	60

Expounding Info:

GT - Gondola-High Sides and Ends Alum cars- for Unloading in

Dumping Machines Only

Equipment Type Code J311

Sale or lease

35 of the Ortner 1984 built Texas location

25 Freight America cars 2006 built upstate NY

......35 of the cars are flat bottom (Ortner cars) and

the other

......25 have the concave/depressed bottom

Built new from July 1,1974, Qualified for 50 Years Service

Gross Rail Load/Weight 286000 lb

Tare Weight 41700 lb

Load Limit 244300 lb

Weighing Date A288 06/02/2006

Cubic Feet Capacity 4520 cuft

Plate Code B

Outside Length 53 Ft 1 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 12 Ft 10 In

Outside Height Extr Width 12 Ft 10 In

Outside Upper Eaves Width 10 Ft 8 In

Outside Upper Eaves Hght 12 Ft 10 In

Inside Length 47 Ft 10 In

Inside Width 9 Ft 10 In

Inside Height 11 Ft 6 In

Truck Center Length 40 Ft 6 In

Body Material 01 – Aluminum

Gondola Floor Design Depressed Bottom

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GT-08.07.23-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GT-08.28.24-00

Category:	Tub Gondola	Expounding Info:
AAR Car Type:	Beth Gon	
Sale Type:	Sale Only	Alum Beth Gons
Year(s) Built:	1998	Inside length 47ft 9 1/8in inside Width 9ft 9 1/2in
Cubes:	4400cu	Extreme Ht. 12ft 9 1/2in
Load Cap:	100ton	Light Weight 43500lbs
Length:	53ft 1in	GRL 286000lbs
Quantity Avail:	400	More information

More information is available on our website or at:

Notes: https://www.prscorp.net/ref_details.php?ref=GT-08.28.24-00



Current Rolling Stock

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GT-09.07.23-00

Category:	Tub Gondola
AAR Car Type:	Beth Gon
Sale Type:	Lease Only
Year(s) Built:	2005
Cubes:	4520cu
Load Cap:	286cap
Length:	47ft 9 1/8in
Quantity Avail:	25
Notes:	

Expounding Info:

Beth Gon II Inside Length 47ft 9 1/8in

Builder Freight car America

Lease

50ft 5 1/2in over striker Extreame Lenght 53ft 1in Inside width 9ft 10in

Lt weight 41700lbs Load Limit 244300lbs All steel Underframe

Alum Outside stake Flat intermediate Floor

Twin Alum Round bottom Tubs

AAR Plate B Rotary dump

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GT-09.07.23-00

Current Rolling Stock

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

Raymond Paquette

www.prscorp.net

GW-03.17.25-00

Category: Woodchip Gondola AAR Car Type: E707 Sale Type: Sale Only Year(s) Built: 77/79 Cubes: 7526 Load Cap: 286cap Length: 73ft 10in outside Quantity Avail: 31 Notes:

Expounding Info:

Light Density Service

GTS - Gondola-High Sides and Ends, Specially Equipped

Equipment Type Code E707 Maint of Way Service Type

2 Built date 1977 29 Built date 1979

Gross Rail Load/Weight 286000 lb

Tare Weight 76900 lb Load Limit 209100 lb

7526 cuft Plate Code F

Outside Length 73 Ft 10 In Outside Extreme Width 9 Ft 11 In Outside Extreme Height 16 Ft 3 In Outside Height Extr Width 9 Ft 11 In Outside Upper Eaves Width 9 Ft 11 In Outside Upper Eaves Hght 16 Ft 3 In

Inside Length 68 Ft 9 In Inside Width 8 Ft 1 In Inside Height 12 Ft 8 In

Truck Center Length 59 Ft 0 In Body Material Standard Steel

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GW-03.17.25-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GW-03.17.25-01

Category:	Woodchip Gondola
AAR Car Type:	E707
Sale Type:	Sale Only
Year(s) Built:	1980/85
Cubes:	7526
Load Cap:	286cap
Length:	70ft 7in outside
Quantity Avail:	29
Notes:	

Expounding Info:

Mechanical Designation GTS - Gondola-High Sides and Ends,

Specially Equipped

Equipment Type Code E707

Built 1980/85

Gross Rail Load/Weight 286000 lb

Tare Weight 77500 lb Load Limit 208500 lb

Cubic Feet Capacity 7526 cuft

Plate Code F

Outside Length 70 Ft 7 In

Outside Extreme Width 9 Ft 11 In
Outside Extreme Height 16 Ft 3 In
Outside Height Extr Width 9 Ft 11 In
Outside Upper Eaves Width 9 Ft 11 In
Outside Upper Eaves Hght 16 Ft 3 In

Inside Length 65 Ft 9 In Inside Width 9 Ft 1 In Inside Height 12 Ft 8 In

Truck Center Length 59 Ft 0 In

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=GW-03.17.25-01



Current Rolling Stock

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HC-01.27.23-00

Category:	Covered Hopper
AAR Car Type:	c112
Sale Type:	Sale or Lease
Year(s) Built:	2011/2012
Cubes:	3258
Load Cap:	286
Length:	41ft 11in
Quantity Avail:	275
Notes:	

Expounding Info:

Hopper-Covered Sale or lease

Builders 2/3 ARI and 1/3 Trinity.

Basically all the same specs have actual specs for each

group!

Owner would like to do a net lease

Equipment Type C112

Built new Qualified for 50 Years Service

End of Service 3/01/2061

Gross Rail Load/Weight 286000 lb

Tare Weight 53200 lb Load LimitL 232800 lb

Cubic Feet Capacity 3258 cuft

Plate Code C

Outside Length 41 Ft 11 In

Outside Extreme Width 10 Ft 7 In Outside Extreme Height 15 Ft 1 In Outside Height Extr Width 8 Ft 7 In Equipment Builder ARI Industries

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-01.27.23-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HC-01.29.25-00

Category:	Covered Hopper
AAR Car Type:	Sand Hoppers
Sale Type:	Sale Only
Year(s) Built:	2006.2007
Cubes:	3200 cu
Load Cap:	286cap
Quantity Avail:	215
Notes:	

Expounding Info:

215 Cars: 2006.2007 Built 286 GRL, 3200 Cu. Ft. Small Cube

2 pocket gravity discharge covered hoppers for sale Additional Inventory: Handful of late 1990s builds

Current Status:

Currently in sand service in the Southwest SW Cars are interchange service ready and unlined.

Pricing Options: Delivery Terms:

Owner will coordinate delivery to most reasonably located locations via empty return diversion from the last delivery.

More information is available on our website or at:

 $https://www.prscorp.net/ref_details.php?ref=HC-01.29.25-00$



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HC-02.01.24-00

Tare Weight 056900 lbs. Load Limit 206100 lbs

Category:	Covered Hopper
AAR Car Type:	C112
Sale Type:	Sale Only
Year(s) Built:	1992
Cubes:	3000
Load Cap:	100ton
Length:	41ft 11in outside
Quantity Avail:	4
Notes:	

Expounding Info:

AAR Car Type Code C112
Cubic Ft Capacity 03000 cu ft
Sale Only
Round roof hatch center line of car
built 1992
Plate Clearance B
Outside Length 041 ft 11 in
Outside Extreme Height 15 ft 01 in
Outside Extreme Width 10 ft 08 in
Height of Extreme Width 03 ft 00 in
Upper Eaves Height 14 ft 06 in
Max Weight on Rail 263000 lbs.

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=HC-02.01.24-00



Notes:

Paquette Railway Solutions

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HC-02.28.24-00

Category:	Covered Hopper
AAR Car Type:	C112
Sale Type:	Sale Only
Year(s) Built:	2013
Cubes:	3250
Load Cap:	286cap
Length:	39ft 5in over strike
Quantity Avail:	50

Expounding Info:

Built Date 2013
Builder Greenbrier

Sale Only

10ft 8 in Ext Width 15ft 3in ext height

Plate C

Lt weight 54500lbs Load Limit231500lbs 3 round Hatches 36 1/2in

 Cubic Capacity
 3250 CF

 GRL
 286,000

 Light Weight
 54,500

 Load Limit
 231,500

price includes freight assistance anywhere on CSX and also includes any needed ABT or repairs to make them interchange

worthy

Location Various, Southeast

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=HC-02.28.24-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HC-04.04.24-00

Category:	Covered Hopper
AAR Car Type:	C111
Sale Type:	Lease Only
Year(s) Built:	50 yr service
Cubes:	2980
Load Cap:	286cap
Length:	41ft 11in outside
Quantity Avail:	1
Notes:	

Expounding Info:

Mechanical Designation LO - Hopper-Covered

Equipment Type Code C111

Covered Hopper, Gravity Unloading, Permanent Roof, Less than

3000 cu ft capacity

Built new from July 1,1974, Qualified for 50 Years Service

Gross Rail Load/Weight 286000 lb

Tare Weight 53900 lb Load Limit 232100 lb

Cubic Feet Capacity 2980 cuft

Plate Code B

Outside Length 41 Ft 11 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 15 Ft 1 In

Outside Height Extr Width 4 Ft 8 In

Outside Upper Eaves Width 8 Ft 0 In

Outside Upper Eaves Hght 14 Ft 8 In

Outside Lower Eaves Width 10 Ft 2 In

Outside Lower Eaves Hght 13 Ft 10 In

Lining Material 28 - Unlined

Roof Type 4 - Round hatches on center line of car

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-04.04.24-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HC-08.01.24-00

Category:	Covered Hopper
AAR Car Type:	C112
Sale Type:	Sale Only
Year(s) Built:	2011
Cubes:	3250
Load Cap:	286cap
Quantity Avail:	60
Notes:	

Expounding Info:

LO Mechanical Designation Car Type Code C112 Last commodity Sand **Built Date** 2011 Builder

Gunderson

Construction Steel, Through Sill **Cubic Capacity** 3250 CF

286000 **GRL** Light Weight 52700 Compartments 2

Gates 2 Miner 13 x 42

rack and pinion, low profile

3 Centerline Hatches Couplers SBE60EE Bottom

Shelf

Plate C Clearance Diagram Availability **Immediate** Location In-Service,

Midwest

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-08.01.24-00



Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HC-08.09.24-00

Category:	Covered Hopper
AAR Car Type:	C113
Sale Type:	Lease Only
Year(s) Built:	82/83
Cubes:	4750
Load Cap:	100ton
Quantity Avail:	25
Notes:	

Expounding Info:

Mechanical Designation LO - Hopper-Covered

Coming out of grain service

Free move on CSX. Dirty with grain.

Equipment Type Code C113

Roof Type 1 - Trough hatch in roof

Gross Rail Load/Weight 268000 lb

Tare Weight 60600 lb

Load Limit 207400 lb

Plate Code B

Outside Length 60 Ft 0 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 14 Ft 11 In

Outside Height Extr Width 3 Ft 6 In

Outside Upper Eaves Width 8 Ft 0 In

Outside Upper Eaves Hght 14 Ft 6 In

Unlined

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-08.09.24-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HC-09.07.23-00

Category:	Covered Hopper
AAR Car Type:	C113
Sale Type:	Lease Only
Year(s) Built:	80/81
Cubes:	4600
Load Cap:	100ton
Length:	58ft 1in
Quantity Avail:	27
Notes:	

Expounding Info:

Mechanical Designation LO - Hopper-Covered

Equipment Type Code C113

Lease

Extended Service A096

E - Built new from July 1,1974, Qualified for 50 Years

Service

Gross Rail Load/Weight 263000 lb

Tare Weight 62000 lb Load Limit 201000 lb

Cubic Feet Capacity 4600 cuft

Plate Code B

Outside Length 58 Ft 1 In

Outside Extreme Width 10 Ft 8 In Outside Extreme Height 15 Ft 1 In Outside Height Extr Width 3 Ft 8 In Outside Upper Eaves Width 8 Ft 0 In Outside Upper Eaves Hight 14 Ft 9 In

Unloading System Type GRAV – Gravity

Body Material 19 - Standard Steel

Equipment Builder ACF - American Car & Foundry

Lining Material 26 - Synthetic Roof Type 1 - Trough hatch in roof

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-09.07.23-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HC-11.22.22-00

Category:	Covered Hopper
AAR Car Type:	C112
Sale Type:	Sale or Lease
Year(s) Built:	87/90
Cubes:	3000
Load Cap:	100ton
Length:	41ft 10in
Quantity Avail:	13
Notes:	

Hopper-Covered Sale or lease Cement Gates

Expounding Info:

Cement Gates
Hawker Sidley builder
Equipment Type C112
Gross Rail Load 263000 lb
Tare Weight 54900 lb
Load Limit 208100 lb
Cubic Feet 3000 cuft

Plate Code B

Outside Length 41 Ft 10 In

Outside Extreme Width 10 Ft 8 In
Outside Extreme Height 15 Ft 0 In
Outside Height Extr Width 13 Ft 8 In
Outside Upper Eaves Width 9 Ft 0 In
Outside Upper Eaves Hght 14 Ft 7 In
Outside Lower Eaves Width 10 Ft 3 In
Outside Lower Eaves Hght 10 Ft 7 In

Lining Material Unlined

Roof TypeA2264 Round hatches on center line of car

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-11.22.22-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HCP-09.21.22-00

Category:	Covered Plastic Hopper
AAR Car Type:	C214
Sale Type:	Lease Only
Cubes:	5850cu
Load Cap:	263 cap
Length:	68ft 3in outside Len
Quantity Avail:	14
Notes:	

Expounding Info:

AAR C214

Formerly Ref# HC-06.14.22-00

Lease only

Plastic Pellet gates

Plate C 5850 cu

4 compartments Round Hatches

Currently at shop and storage on CSX

68ft 3in Outside Length 15ft 5in Extreme Height 10ft 6in Outside width Max weight to rail 263

Tare 68900

Load limit 19433lbs

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HCP-09.21.22-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HCP-12.10.24-00

Expounding Info:

Category:	Covered Plastic Hopper
AAR Car Type:	C114
Sale Type:	Lease Only
Year(s) Built:	2023
Cubes:	6580
Load Cap:	286cap
Length:	69ft 7in outside
Quantity Avail:	30
Notes:	

Number Available 30
Mechanical Designation LO
Car Type Code C114

Lease Only

Built Date 2023

Builder Gunderson
GRL 286000
Light Weight 68700
Load Limit 217300
Cubic Capacity 6580 CF

Compartments 4 Linings None Outside Length 69ft 07in Extreme Width 10ft 07in Extreme Height 15ft 06in Clearance Diagram Plate C Hatches Trough Gates Gravity 6-1/2 x 9 **Bearings**

Couplers SBE60EE Bottom

Shelf

Wheels

Draft Gear Standard

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=HCP-12.10.24-00

36in



Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HCPD-02.09.24-00

Category:	Covered PD Hopper	Expounding Info:
AAR Car Type:	PD Cov Hopper	
Sale Type:	Lease Only	PD Hoppers 14.7 PSIG
Year(s) Built:	2018	Lease Only
Cubes:	3230	Can be used in cement Have interior linings
Load Cap:	286cap	Inside Length 36ft 5in
Length:	43ft 1in over strike	Length over couplers Pulling faces 45ft 8 1/2in
Quantity Avail:	4	Inside Width 10ft 3 11/16in
Notes:		Extreme Width 10ft 4 3/4in
		Extreme Height 15ft 6in
		Cubes 3230
		Light Weight 56500
		Gross rail Load 286000lbs
		Load Limit 229500 LBS

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HCPD-02.09.24-00



Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HCPD-04.04.24-00

Category:	Covered PD Hopper
AAR Car Type:	C612
Sale Type:	Lease Only
Year(s) Built:	50 Years Service
Cubes:	3915cu
Load Cap:	100ton
Length:	61 Ft 10 In Outside
Quantity Avail:	12
Notes:	

Expounding Info:

Mechanical Designation LO - Hopper-Covered

Equipment Type Code C612

Built new from July 1,1974, Qualified for 50 Years Service

AAR End of service Dates below

2/1/2032 12/1/2029 9/1/2029 11/1/2025 1/1/2030 12/1/2029

10/1/2027 9/1/2029 11/1/2025 3/1/2027 1/1/2031

4/1/2031 Gross Rail Load/Weight 263000 lb

Tare Weight 65200 lb

Load Limit 197800 lb

Cubic Feet Capacity 3915 cuft

Plate Code B

Outside Length 61 Ft 10 In

Outside Extreme Width 10 Ft 4 In

Outside Extreme Height 13 Ft 4 In Outside Height Extr Width 8 Ft 2 In

Outside Upper Eaves Width 7 Ft 5 In

Outside Upper Eaves Hght 13 Ft 4 In

Unloading System Type PSDF - Pressure Differential 4-Pressure ABT Recvr Eqpd E – Equipped

Lining Material 28 - Unlined

Roof Type 4 - Round hatches on center line of car

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HCPD-04.04.24-00



Current Rolling Stock

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HO-01.03.25-00

Category:	Open Hopper
AAR Car Type:	Open top
Sale Type:	Sale Only
Year(s) Built:	1996
Cubes:	4000
Load Cap:	286cap
Quantity Avail:	25
Notes:	

Expounding Info:

25 Open Top Hoppers

Quantity 25

Capacity 4,000 cf. Built

1996 by Trinity

GRL/GWR 286,000 lbs.

Construction Steel Manual Gates

Gravity, or rotary dump

Last commodity Coal Location, 19 in service, 6 stored awaiting inspection!

Shipping, May be

some assistance

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HO-01.03.25-00

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HO-02.27.24-00

Category: Open Hopper

AAR Car Type: H350

Sale Type: Sale or Lease

Year(s) Built: 1999/2005

Quantity Avail: 42

Notes:

Expounding Info:

Mechanical Designation HT - Hopper-3 or more Compartments,

Doors Hinged Crosswise, Dumping Between Rails

Alum cars Sale or lease Type Code H350 Lease Only

Slope Sheets 60 degrees

Gross Rail Load/Weight 286000 lb

Alum body

Tare Weight 49100 lb Load Limit 236900 lb

Cubic Feet Capacity 4200 cuft

Plate Code B

Outside Length 53 Ft 1 In

Outside Extreme Width 10 Ft 8 In Outside Extreme Height 13 Ft 4 In Outside Height Extr Width 13 Ft 4 In

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HO-02.27.24-00



Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HRD-01.23.25-00

Category:	Rapid Discharge Hopper
AAR Car Type:	H350
Sale Type:	Sale Only
Year(s) Built:	1999/2005
Cubes:	4200
Load Cap:	286cap
Length:	53ft 1in
Quantity Avail:	42
Notes:	

Expounding Info:

Mechanical Designation UMMD

Sale only

Aluminum Rapid Discharge Cars

HT Hopper 3 or more Compartments, Doors Hinged Crosswise,

Dumping Between Rails Equipment Type Code H350

Gross Rail Load/Weight 286000 lb

Tare Weight 49100 lb Load Limit 236900 lb

Plate Code B

Outside Length 53 Ft 1 In

Outside Extreme Width 10 Ft 8 In Outside Extreme Height 13 Ft 4 In Outside Height Extr Width 13 Ft 4 In

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HRD-01.23.25-00



Current Rolling Stock

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

L-01.16.25-00

Expounding Info: Category: Locomotive

AAR Car Type: VO1000 Sale Type: Lease Only Year(s) Built: 1943 Rebuilt 1985

Quantity Avail: 1

Notes:

Lease Only Baldwin VO1000 rebuilt to SW1200 specs. This has been fully upgraded but we've just acquired another locomotive to replace this one. This is a terrific locomotive that would serve someone very well. It's stored in operating condition in our heated shop due an inoperable PDI engine coolant heater system. We just installed a new alerted system in anticipation of the FRA

one person crew rule deadline. Here is some info VO1000 frame, EMD 12 cylinder 567BC block

Built 1943 rebuilt 1985

fully FRA compliant, currently blue carded and operable

currently in service MU equipped

26NL brakes

alerted installed 2024

modern electrical and AAR control stand

good wheels

interchange capable

PDI engine heater currently INOP

body in excellent condition, very well kept

GURU freeze protection valves installed

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-01.16.25-00

F C

Paquette Railway Solutions Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

L-01.30.25-00

Category: Locomotive

AAR Car Type: GP9

Sale Type: Sale Only

Year(s) Built: 1954

Quantity Avail: 1

Notes:

Expounding Info:

Located in New Castle, Indiana Last up dated 10.03.2023 GP9 blue carded and running

Plate Code C

Outside Length 56 Ft 2 In

Outside Extreme Width 10 Ft 0 In Outside Extreme Height 14 Ft 9 In Truck Center Length 40 Ft 0 In Alignment control inserts, movable on NS

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-01.30.25-00

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

L-06.27.23-00

Category:

Locomotive

SHUTTLEWAGON AAR Car Type:

Sale Type:

Sale Only

Quantity Avail:

Notes:

Expounding Info:

Engine Cylinders

Cummins QSB6.7 6 Cylinder 185 hp 6.7 L Diesel Engine

Blow by @ idle (subjective visual observation)

Minor Starter Operational Radiator Rating:

Good Oil Leaks

No dripping leaks

Fuel Leaks

No dripping leaks Cooling System Leaks No dripping leaks

Limited Function Check (Engine) The engine started and ran. LOGISTICS INFORMATION

General Condition

Fair

Shipping Dimensions

20 ft Long x 6 ft Wide x 10 ft 5 in Tall

General Shipping Information

Yes: Does this Unit Run? Yes: If self propelled, does the unit travel? Yes: Inflated Tires - item can roll? No: Is the

taller than 12'? No: Is the unit wider than 8'6"? No:

Noticeable fluid leaks?

Modifications

1 Axles, Track Gauge 56 in - 59 in, Max Speed Capability:

Fuel Capacity:

CONTROL STATION

Hydraulic Controls

Rating:

Good

Drivetrain Controls

Rating: Good

Steering Control

Rating:

Good

Dash Console Condition

Rating:

Good

Oil Pressure

The gauge registers in the operating range.

Continued on Next Page...

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

L-06.27.23-00

Expounding Info Continued:

Warning Lights

Operational

Gauges

Operational

Hour Meter/Odometer (Start)

684 hrs

Hour Meter/Odometer

684 hrs, Operational hour meter

Limited Function Check (Control Station)

The main components are in place and operational as noted. Brand new remote control cable provided and remote control confirmed to work.

SECTION 5

Frame Condition

Rating:

Good

Belly pans

Rating:

Good

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-06.27.23-00

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

L-08.14.24-00

Category: Locomotive Expounding Info: AAR Car Type: SW1200

Sale Type: Sale Only LOCOMOTIVE MODEL: SW1200
MANUFACTURER . YR BUILT: EMD 1958

Quantity Avail: 1

Notes:

Note State of the Country of the Countr

SHORT OR LONG HOOD FORWARD: SWITCHER

LOCOMOTIVE WEIGHT: 120 TONS

ENGINE MODEL: 12 567C

TURBO MODEL:

MAX HORSEPOWER:

GENERATOR/ALTERNATOR:

AUXILIARY GENERATOR:

AIR COMPRESSOR:

DYNAMIC BRAKING:

EXTENDED RANGE:

NOT EQUIPPED

1200 HP

105C

106W

WXO

N/A

CURRENT AIR DATE: STORAGE CREDIT

TRACTION MOTORS: D77 S
TRUCKS: AAR SWITCHER
JOURNAL BOXES: ROLLER

WHEEL TREAD THICKNESS: ALMOST NEW WHEELS

26L

FRA QUALIFIED: YES

AIR BRAKE TYPE:

DITCH LIGHTS: NOT EQUIPPED MULTIPLE UNIT: EQUIPPED ELECTRICAL CABINETS: EXCELLENT

BATTERIES: USED

COOLING FANS: BELT DRIVEN CAB/CARBODY CONDITION: VERY GOOD

PAINT CONDITION: OK

FUEL CAPACITY: 600 GALLON

SPEED RECORDER: NOT EQUIPPED

CONTROL STAND: NEW STYLE CASH REGISTER

MODIFICATIONS: SPARK ARRESTORS COMMENTS: THIS LOCOMOTIVE IS IN

GOOD CONDITION

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=L-08.14.24-00

F

Paquette Railway Solutions

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

L-11.09.23-00

Category: Locomotive AAR Car Type: SW900

Sale Type: Sale Only

Quantity Avail: 1

Notes:

Expounding Info:

SW900 JUST OFF LEASE

900 Horsepower

8 cyl 567C D15 MG

Good Wheels

Alignment Controlled Couplers, YES

F couplers

Location, Minooka,

Illinois

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-11.09.23-00

www.prscorp.net

Paquette Railway Solutions Current Rolling Stock

Raymond Paquette

 $rpaquette @\,prscorp.net$ Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

M-03.26.21-00

Category:	Misc
AAR Car Type:	Scale test car
Sale Type:	Sale Only
Quantity Avail:	1
Notes:	

Expounding Info:

Scale test car 80050 scale test car as is, where is Bid

Built in 1931 with a tare weight of 80,000 lbs.

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=M-03.26.21-00

I C

Paquette Railway Solutions

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

M-04.12.23-01

Category: Misc

AAR Car Type: Vertical Steam Generator

Sale Type: Sale Only

Quantity Avail: 1

Notes:

Expounding Info:

Vertical Steam Generator

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=M-04.12.23-01

F

Paquette Railway Solutions

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

M-04.12.23-02

Category: Misc
AAR Car Type: HX30 Vacuum Excavator

Sale Type: Sale Only

Quantity Avail: 1

Notes:

Expounding Info:

HX30 Vacuum Excavator

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=M-04.12.23-02

F

Notes:

Paquette Railway Solutions

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

M-06.13.24-00

Category: Misc

AAR Car Type: ABDX Values

Sale Type: Sale Only

Quantity Avail: 3

Expounding Info:

3 Rebuilt ABDX values located in Salt Lake City Offers

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=M-06.13.24-00



Category:

Paquette Railway Solutions **Current Rolling Stock**

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

M-11.14.23-00

Expounding Info:

The Plasser American Corporation 08 32 Unimat 4s is a fully automatic tamping machine. The 08 32 Unimat can be used to tamp, lift and line switches or plain track. The 08 32 Unimat 4s utilizes the proven Plasser technology along with the AGGS computer geometry system to give superb quality track work. The 08 32 Unimat 4S uses a 32 tool split tamping unit system that allows the independent tamping of inside and outside the rail or any combination there of. The tamping units can also be traversed side to side and telescoped outside the frame, and rotated to allow for the most complete, accurate tamping of a switch. The rail lifting and lining is done with a rail hook and roller clamp assembly. The 08 32 Unimat 4s also has an auxiliary third rail lifting clamp that will allow the lifting of the turnout rail in conjunction with the main lift to eliminate the need for helper jacks to prevent over lifting of the main rail.

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=M-11.14.23-00

AAR Car Type: Tamping machine Sale Type: Sale Only Quantity Avail: Notes:

Misc

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

T-05.10.24-00

Category:	Tank Car
AAR Car Type:	DOT111A
Sale Type:	Sale Only
Gallons:	30000 gal
Load Cap:	100ton
Quantity Avail:	7
Notes:	

Expounding Info:

7 DOT 111A OIL RAIL TANK CARS INTERCHANGABLE 30000

GAL 263 CARS

7 CARS TOTAL PRICE IS PER CAR SELLING AS A GROUP

ONLY, WILL

NOT BREAK UP. 7 CARS, TOTAL PRICE--\$206,500.00 USD

LOCATED

IN 3 PLACES LOS ANGELES-- 3 CARS TEXAS-- 3 CARS NEW

MEXICO--

1 CAR 30000 GAL 263 GRL CARS IN SERVICE TODAY AND

CERTIFIED

CURRENTLY BEING USED IN COOKING OIL SERVICE

PREVIOUSLY USED

FOR BIODIESEL-RENEWABLE DIESEL. COOKING OIL WOULD

BE A

SEAMLESS FIT. CERTIFIED UNTIL 2027 POSSIBLE FREE MOVE.

BUYER

CAN USE CURRENT OWNERS MARKS TO MOVE THEM IF

ALLOWED BY

UMLER, THE CURRENT OWNER WOULD BE WILLING TO

TRANSFER THEIR

OWNERS MARKS TO BUYER AVAILABLE FOR INSPECTIONS

BUT ARE

MOVING TARGETS AND YOU MAY JUST WANT TO INSPECT A

FEW, ALL

ARE IN SIMILAR GREAT CONDITION. MORE PICS AND DETAILS

COMING

SOON. CALL TO SET UP YOUR INSPECTION WE WILL HOLD

THE CARS

WITH A PROPER LOI AND A DEPOSIT Seven total General

Purpose

Railcars

30,000 gallon DOT111A,

263k GRL, Tank Cars

Previously in Used Cooking Oil service

biodiesel, Renewable diesel, cooking oil would seamless fits

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-05.10.24-00



Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

T-06.24.21-00

Category:	Tank Car
AAR Car Type:	T108
Sale Type:	Sale Only
Year(s) Built:	2008
Gallons:	30000
Load Cap:	100ton
Length:	59ft 9in outside
Quantity Avail:	7
Notes:	

Expounding Info:

Tank Equipment Type T108

Sale only

will need recertification

Built Date 02/01/2008

Were Diesel Fuel now in storage of fertilizer

End of Service Date 02/01/2058 Gross Rail Load/Weight 263000 lb

Tare Weight 66600 lb

Load Limit 196400 lb

Gallonage Capacity 30000 usgl

Plate Code C

Outside Length 59 Ft 9 In

Outside Extreme Width 10 Ft 8 In Outside Extreme Height 15 Ft 4 In Outside Height Extr Width 3 Ft 5 In Truck Center Length 46 Ft 4 In

111A100W1 DOT

Bottom Outlet/Fitting TypA308 Value C Bottom Outlet & Sump

Bottom Outlet Valve External Bottom Outlet Ball Valve

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-06.24.21-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

T-07.07.22-00

_	
Category:	Tank Car
AAR Car Type:	T109
Sale Type:	Sale or Lease
Year(s) Built:	1999
Gallons:	34257 gal
Load Cap:	286cap
Length:	67ft 1in outside
Quantity Avail:	76
Notes:	

Expounding Info:

Mechanical Tank Sale or lease

Equipment Type T109

Cars do not have bottom outlet valves

Gross Rail Load/Weigh 286000 lb

Tare Weight 73000 lb Load Limit 213000 lb Gallon 34257 usg

Plate Code C

Outside Length 67 Ft 1 In

Outside Extreme Width 10 Ft 5 In Outside Extreme Height 15 Ft 5 In Outside Height Extr Width 3 Ft 0 In Truck Center Length 63 Ft 5 In

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-07.07.22-00



Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

T-07.16.24-00

Category:	Tank Car
AAR Car Type:	T106
Sale Type:	Lease Only
Gallons:	23500 gal
Load Cap:	100ton
Length:	55ft 5in outside
Quantity Avail:	10
Notes:	

Expounding Info:

Tank Cars for Lease

Equipment Type Code T106

Gross Rail Load/Weight 263000 lb

Tare Weight 71500 lb Load Limit 191500 lb

Gallonage Capacity 23683 usgl

Plate Code B

Outside Length 55 Ft 5 In

Outside Extreme Width 10 Ft 8 In Outside Extreme Height 15 Ft 1 In Outside Height Extr Width 8 Ft 0 In Truck Center Length 41 Ft 9 In

General Service Carbon Steel Tank Welded or Riveted Includes

Rubber Lined

non-hazard commodity service; tallows, fats & oils

Design Shipping Cont Spec 111A100W3 - DOT 111A100W3 Stenciled Shipping Spec 111A100W3 - Major Class 10/18 - DOT 111A100W3

Stub Sill Design Type TRNTY3 - TRNTY3 Stub Sill Design

Coils Exterior/Interior E – Exterior

Insulatn/Thrmal Prot Type FG - Standard Fiberglass

Bottom Outlet/Fitting Typ B - Bottom Outlet

Bottom Outlet Count 1

General Purpose (GP), Externally Coiled & Insulated, not

lined

Coming from non-hazard commodity service; tallows, fats & oils and would need to go in something similar.

Car Locations (Running / Various)

Full-Service Lease [For Lease Only]

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-07.16.24-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

T-07.17.24-00

Category:	Tank Car
AAR Car Type:	T 107
Sale Type:	Lease Only
Gallons:	25532
Load Cap:	100ton
Length:	56ft 8in
Quantity Avail:	30
Notes:	

Expounding Info:

Equipment Type T107

Gross Rail Load/Weight 263000 lb

Tare Weight 74400 lb Load Limit 188600 lb

Gallonage Capacity 25532 usgl

Plate Code C

Outside Length 56 Ft 8 In

Outside Extreme Width 10 Ft 8 In Outside Extreme Height 14 Ft 11 In Outside Height Extr Width 4 Ft 1 In

111A100W1 - Major Class 10/18 - DOT 111A100W1 Non-hazard commodity service; tallows, fats & oils

TRNTY3 - TRNTY3 Stub Sill Design Coil Material C - Carbon Steel

Coils Exterior/Interior Exte

Insulatn/Thrmal FG - Standard Fiberglass

Bottom Outlet Count 1

General Purpose (GP), Externally Coiled & Insulated, not

lined

Coming from non-hazard commodity service; tallows, fats &

oils and would need to go in something similar.

Car Locations (Running / Various)
Full-Service Lease [For Lease Only]

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-07.17.24-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

T-07.17.24-01

Category:	Tank Car
AAR Car Type:	T108
Sale Type:	Lease Only
Gallons:	28170gal
Load Cap:	286cap
Length:	59ft 0in
Quantity Avail:	20
Notes:	

Expounding Info:

Equipment Type Code T108 Gross Rail Load/Weight 286000 lb

Tare Weight 76000 lb Load Limit 210000 lb

Gallonage Capacity 28170 usgl

Plate Code C

Outside Length 59 Ft 0 In

Outside Extreme Width 10 Ft 7 In Outside Extreme Height 15 Ft 6 In Outside Height Extr Width 8 Ft 0 In Truck Center Length 45 Ft 5 In

General Service Carbon Steel Tank Welded or Riveted Includes

Rubber Lined

Non-hazard commodity service; tallows, fats & oils

Design Shipping Cont Spec 111A100W1 - DOT 111A100W1

TRN023 Stub Sill Design Coil Material Carbon Steel

Coils Exterior/Interior E – Exterior Insulatn/Thrmal Standard Fiberglass

Bottom Outlet Count 1

General Purpose (GP), Externally Coiled & Insulated, not lined

Coming from non-hazard commodity service; tallows, fats & oils and would need to go in something similar.

Car Locations (Running / Various)
Full-Service Lease [For Lease Only]

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-07.17.24-01



Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

T-11.12.24-00

Category:	Tank Car
AAR Car Type:	T 106
Sale Type:	Sale Only
Gallons:	23673
Load Cap:	100ton
Length:	50ft 8in
Quantity Avail:	1
Notes:	

Expounding Info:

Car is good for training Mechanical Designation T Tank Equipment Type Code T106 Gross Rail Load Weight 263000 lb Tare Weight 76900 lb Load Limit 186100 lb

Gallonage Capacity 23673 usgl

Plate Code B

Outside Length 59 Ft 8 In

Outside Extreme Width 10 Ft 4 In Outside Extreme Height 14 Ft 7 In Outside Height Extr Width 4 Ft 0 In

111A100W3 Major Class 10.18 DOT 111A100W3

Coil Material C Carbon Steel Coils Exterior Interior E Exterior

Insulatn Thrmal Prot Type FT High Temp Fiberglass

Insulation Thickness 4.0 99.9 in currently in Newcastle, PA

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-11.12.24-00