



Table Of Contents

Box Cars	4
Box Car Groups	4
B-03.14.24-00	4
B-03.22.24-00	5
B-06.03.24-00	6
B-08.14.23-00	7
B-08.14.23-01	8
B-08.24.22-00	9
Mechanical Refrigerator Groups	10
BMR-10.19.23-00	10
BMR-10.19.23-01	11
Insulated Box Car Groups	12
BR-08.02.24-00	12
Flatcars	13
Bulkhead Flatcar Groups	13
FB-01.23.24-00	13
FB-01.23.24-01	14
FB-01.23.24-02	15
FB-01.23.24-03	16
FB-01.23.24-04	17
COFC/TOFC Groups	18
FCO-05.28.24-00	18
FCO-07.19.24-00	19
FCO-07.24.24-00	20
PAX Flatcar Groups	21
FPX-08.01.24-00	21
Gondolas	22
Container Well Gondola Groups	22
GCW-05.16.23-00	22
Flat Bottom Gondola Groups	23
GFR-01.22.24-00	23
GFR-08.26.24-00	24
GFR-09.07.23-00	25
Mill Gondola Groups	26
GM-01.22.24-00	26
GM-07.24.24-00	27
GM-08.28.24-00	28
Tub Gondola Groups	29
GT-01.25.23-00	29
GT-03.12.24-00	30
GT-08.07.23-00	31



GT-08.28.24-00	32
GT-09.07.23-00	33
Hoppers	34
Ballast Hopper Groups	34
HB-11.08.24-00	34
Covered Hopper Groups	35
HC-01.27.23-00	35
HC-02.01.24-00	36
HC-02.28.24-00	37
HC-04.04.24-00	38
HC-06.03.24-00	39
HC-08.01.24-00	40
HC-08.09.24-00	41
HC-09.07.23-00	42
HC-10.11.23-00	43
HC-11.02.23-00	44
HC-11.22.22-00	45
Covered Plastic Hopper Groups	46
HCP-09.21.22-00	46
Covered PD Hopper Groups	47
HCPD-02.09.24-00	47
HCPD-04.04.24-00	48
Open Hopper Groups	49
HO-02.27.24-00	49
Locomotives	50
Locomotive Groups	50
L-02.16.24-00	50
L-05.17.23-00	51
L-06.14.24-00	52
L-06.27.23-00	53
L-08.14.24-00	55
L-11.09.23-00	56
L-12.21.22-00	57
Misc Rail Items	58
Misc Groups	58
M-03.26.21-00	58
M-04.12.23-01	59
M-04.12.23-02	60
M-05.07.24-01	61
M-06.13.24-00	62
M-10.22.20-00	63
M-11.14.23-00	64
Tank Cars	65



Paquette Railway Solutions

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net

Office: (708) 251-2502

Fax: (708) 251-0930

Skype: rpaquette168

Tank Car Groups	65
T-01.21.21-00	65
T-03.04.24-00	67
T-05.10.24-00	68
T-06.24.21-00	69
T-07.07.22-00	70
T-07.16.24-00	71
T-07.17.24-00	72
T-07.17.24-01	73
T-11.06.24-00	74
T-11.07.24-00	75
T-11.12.24-00	76



B-03.14.24-00

Category:	Box Car
AAR Car Type:	A603
Sale Type:	Lease Only
Year(s) Built:	1979
Cubes:	6385
Load Cap:	100ton
Length:	67ft 11in outside
Quantity Avail:	42

Notes:

Expounding Info:

Equipment Type A603
 Gross Rail Load/Weight 263000 lb
 Lease Only
 Tare Weight 72100 lb
 Load Limit 190900 lb
 Cubic Feet Capacity 6385 cuft
 Plate Code C
 Outside Length 67 ft 11 in
 Outside Extreme Width 10 ft 6 in
 Outside Extreme Height 15 ft 5 in
 Outside Height Extr Width 14 ft 3 in
 Outside Upper Eaves Width 10 ft 0 in
 Outside Upper Eaves Hght 14 ft 8 in
 Outside Lower Eaves Width 10 ft 0 in
 Outside Lower Eaves Hght 14 ft 5 in
 Inside Length 60 ft 10 in
 Inside Width 9 ft 6 in
 Inside Height 11 ft 0 in
 Side Door Type Single Sliding Doors
 Box Side Door C - Centered
 Side Door Width 12 ft 0 in
 Side Door Height 10 ft 5 in
 Floor Material Steel Nailable, Reinforced (includes alternate wood and steel floor
 Flr Strength 50K - 50000 Pounds

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-03.14.24-00



B-03.22.24-00

Category:	Box Car
AAR Car Type:	A405
Sale Type:	Sale or Lease
Year(s) Built:	1979
Cubes:	5300
Load Cap:	70ton
Length:	50ft 7in inside
Quantity Avail:	24

Notes:

Expounding Info:

Equipment Type Code A405
 Partial free move Available in late May or June
 Lease Returns
 Sale or Lease
 Plate Code C
 Gross Rail Load/Weigh 220000 lb
 Tare Weight 62400 lb
 Load Limit 157600 lb
 Cubic Feet Capacity 5300 cuft
 Outside Length 57 Ft 3 In
 Outside Extreme Width 10 Ft 6 In
 Outside Extreme Height 15 Ft 5 In
 Outside Height Extr Width 14 Ft 3 In
 Outside Upper Eaves Width 10 Ft 0 In
 Outside Upper Eaves Hght 14 Ft 8 In
 Outside Lower Eaves Width 10 Ft 0 In
 Outside Lower Eaves Hght 14 Ft 5 In
 Inside Length 50 Ft 7 In
 Inside Width 9 Ft 6 In
 Inside Height 11 Ft 0 In
 Side Door Type B102 - Single Plug Doors
 Box Side Door Orientation C - Centered
 Side Door Width 10 Ft 0 In
 Side Door Height 10 Ft 3 In

More information is available on our website or at:
https://www.prscorp.net/ref_details.php?ref=B-03.22.24-00



B-06.03.24-00

Category:	Box Car
AAR Car Type:	A603
Sale Type:	Sale or Lease
Year(s) Built:	1979/80
Cubes:	6385
Load Cap:	100ton
Length:	60ft 10in inside
Quantity Avail:	41

Notes:

Expounding Info:

Mechanical Designation UMMD XP XP - Box-Non-Insulated,
Specially Equipped for
Equipment Type Code A603

There are 41 cars 30 built in 1979,and (10) in 1980.

Years Service

Gross Rail 263000 lb

Tare Weight 72100 lb

Load Limit 190900 lb

Cubic Feet 6385 cuft

Plate Code C

Outside Length 67 ft 11 in

Outside Extreme Width 10 ft 6 in

Outside Extreme Height 15 ft 5 in

Outside Height Extr Width 14 ft 3 in

Outside Upper Eaves Width 10 ft 0 in

Outside Upper Eaves Hght 14 ft 8 in

Outside Lower Eaves Width 10 ft 0 in

Outside Lower Eaves Hght 14 ft 5 in

Inside Length 60 ft 10 in

Inside Width 9 ft 6 in

Inside Height 11 ft 0 in

Truck Center Length 46 ft 3 in

Side Door Type Single Sliding Doors

Box Side Door Orientation Centered

Side Door Width 12 ft 0 in

Side Door Height 10 ft 5 in

Floor Material Steel Nailable, Reinforced (includes
alternate

wood and steel floor

Flr Strength 50000 Pounds

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-06.03.24-00



B-08.14.23-00

Category:	Box Car
AAR Car Type:	A402
Sale Type:	Sale Only
Year(s) Built:	1974
Cubes:	5077
Load Cap:	100ton
Length:	55ft 8in outside
Quantity Avail:	8

Notes:

Expounding Info:

XP - Box-Non-Insulated
Sale only
Type Code A402
Built Date 12/01/1974
End of Service Date 12/01/2024
Gross Rail Load/Weight 263000 lb
Tare Weight 64000 lb
Load Limit 199000 lb
Cubic Feet 5077 cuft
Plate Code B
Outside Length 55 Ft 8 In
Outside Extreme Width 10 Ft 8 In
Outside Extreme Height 14 Ft 9 In
Outside Height Extr Width 13 Ft 8 In
Outside Upper Eaves Width 10 Ft 0 In
Outside Upper Eaves Hght 14 Ft 3 In
Inside Length 50 Ft 6 In
Inside Width 9 Ft 6 In
Inside Height 10 Ft 7 In
Truck Center Length 40 Ft 10 In
Single Sliding Doors
Box Side Door C - Centered
Side Door Width 10 Ft 0 In
Side Door Height 10 Ft 0 In
Floor Material 23 - Steel Nailable (includes alternate wood and steel floor
Flr Strength 50K - 50000 Pounds

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-08.14.23-00



B-08.14.23-01

Category:	Box Car
AAR Car Type:	A403
Sale Type:	Sale Only
Year(s) Built:	1974
Cubes:	5283
Load Cap:	70ton
Length:	50ft 7in inside
Quantity Avail:	10

Notes:

Expounding Info:

XP - Box-Non-Insulated Type Code A403
 Sale only
 Built Date 06/01/1974
 End of Service Date 06/01/2024
 Gross Rail Load/Weight 220000 lb
 Tare Weight 67800 lb
 Load Limit 152200 lb
 Cubic Feet Capacity 5283 cuft
 Plate Code C
 Outside Length 57 Ft 10 In
 Outside Extreme Width 10 Ft 7 In
 Outside Extreme Height 15 Ft 3 In
 Outside Height Extr Width 5 Ft 5 In
 Outside Upper Eaves Width 9 Ft 6 In
 Outside Upper Eaves Hght 14 Ft 8 In
 Inside Length 50 Ft 7 In
 Inside Width 9 Ft 6 In
 Inside Height 10 Ft 11 In
 Truck Center Length 40 Ft 10 In
 Double Sliding Doors
 Box Side Door Orientation C - Centered
 Side Door Width 16 Ft 0 In
 Side Door Height 10 Ft 4 In
 Floor Material Steel Nailable, Reinforced (includes alternate wood and steel floor
 Flr Strength 50K - 50000 Pounds

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-08.14.23-01



B-08.24.22-00

Category:	Box Car
AAR Car Type:	A402
Sale Type:	Sale or Lease
Year(s) Built:	1979
Cubes:	5347
Load Cap:	70ton
Length:	50ft
Quantity Avail:	6

Notes:

Expounding Info:

Equipment Type A402
 Sale or lease
 Gross Rail Load 220000 lb
 Tare Weight 62900 lb
 Load Limit 157100 lb
 Cubic Feet 5347 cuft
 Plate Code C
 Standard Draft Gear
 Outside Length 57 Ft 3 In
 Outside Extreme Width 10 Ft 8 In
 Outside Extreme Height 15 Ft 6 In
 Outside Height Extr 13 Ft 3 In
 Outside Upper Eaves 9 Ft 7 In
 Outside Upper Eaves Hght 14 Ft 10 In
 Outside Lower Eaves Width 10 Ft 0 In
 Outside Lower Eaves Hght 18 Ft 6 In
 Inside Length 50 Ft 6 In
 Inside Width 9 Ft 6 In
 Inside Height 11 Ft 1 In

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-08.24.22-00



BMR-10.19.23-00

Category:	Mechanical Refrigerator
AAR Car Type:	R360
Sale Type:	Sale Only
Cubes:	4544cu
Load Cap:	100ton
Length:	63ft 4in outside
Quantity Avail:	10

Notes:

Expounding Info:

Mechanical Designation Box-Refrigerator (Mechanical)
Sale only
Cars have previously been through the ILS process and are approved for operation until 2035
Railroads AAR Rule 88 Increased Life Status ILS program for service of up to 65 years. Cars will operate the freight cars in interchange service over many portions of the North American railroad network, including all Class I, regional, and switching railroads
Can be directed to locations on BNSF or UP without charge after being released from prior loading
Equipment Type Code R360
Extended Service A096 1 1st ILS Inspection, additional 5 years of Service
Maint of Way Service Type B403
Built Date BLDT 05/01/1970
Rebuilt / ILS Date 05/01/2001
Gross Rail Load/Weight 263000 lb
Tare Weight 89900 lb
Load Limit 173100 lb
Cubic Feet Capacity 4544 cuft
Plate Code C
Outside Length 63 ft 4 in
Outside Extreme Width 10 ft 8 in
Outside Extreme Height A15 ft 6 in
Outside Height Extr Width 8 ft 6 in
Outside Upper Eaves Width 10 ft 0 in
Outside Upper Eaves Hght 14 ft 1 in
Inside Length 54 ft 7 in
Inside Width 9 ft 0 in
Inside Height 9 ft 3 in
Truck Center Length 45 ft 9 in
Side Door Type Single Plug Doors
Box Side Door C - Centered
Side Door Width 10 ft 6 in
Side Door Height 8 ft 8 in

More information is available on our website or at:
https://www.prscorp.net/ref_details.php?ref=BMR-10.19.23-00



BMR-10.19.23-01

Category:	Mechanical Refrigerator
AAR Car Type:	R661
Sale Type:	Sale Only
Year(s) Built:	2000/2001
Cubes:	7883
Load Cap:	286cap
Length:	82ft 2in
Quantity Avail:	20

Notes:

Expounding Info:

AAR Car type R661 Mech Reefer temperature controlled mechanically refrigerated boxcars
 Boxcars are equipped with an ARX loading system detail on the racking system are available
 Sale only
 Gross Rail Load/Weight 286000 lb
 Tare Weight 110500 lb
 Load Limit 175500 lb
 Weighing Date 12/01/2000
 Plate Code F
 Outside Length 82 Ft 2 In
 Outside Extreme Width 10 Ft 5 In
 Outside Extreme Height 17 Ft 0 In
 Outside Height Extr Width 3 Ft 7 In
 Outside Upper Eaves Width 10 Ft 0 In
 Outside Upper Eaves Hght 16 Ft 7 In
 Outside Lower Eaves 10 Ft 5 In
 Outside Lower Eaves Hght 16 Ft 0 In
 Inside Length 72 Ft 2 In
 Inside Width 9 Ft 2 In
 Inside Height 11 Ft 11 In
 Truck Center Length 52 Ft 0 In
 Side Door Type Single Plug Doors
 Box Side Door C - Centered
 Side Door Width 10 Ft 0 In
 Side Door Height 11 Ft 3 In
 Floor Material Reinforced
 Flr Strength Class 50K - 50000 Pounds
 Refrigeration Fuel Type Diesel
 Refrigeration Level Wide Range (Frozen to Non-Frozen)

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=BMR-10.19.23-01



BR-08.02.24-00

Category: Insulated Box Car

AAR Car Type: R610

Sale Type: Sale Only

Year(s) Built: 1980

Cubes: 5700cu

Load Cap: 100ton

Length: 70ft 11iin Outside

Quantity Avail: 6

Notes:

Expounding Info:

Note formerly listed as Mech reefer under BMR 06.21.24 00

Mech units removed

Mechanical Designation

RBL Box car Bunkerless with loading or stowing device

Equipment Type Code R610

Gross Rail Load Weight 263000 lb

Tare Weight 91300 lb

Load Limit 171700 lb

Cubic Feet Capacity 5700 cuft

Plate Code C

Outside Length 70 Ft 11 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 15 Ft 3 In

Outside Height Extr Width 12 Ft 1 In

Outside Upper Eaves Width 10 Ft 2 In

Outside Upper Eaves Hght 14 Ft 6 In

Inside Length 62 Ft 5 In

Inside Width 9 Ft 4 In

Inside Height 10 Ft 5 In

Truck Center Length 46 Ft 3 In

Side Door Type 02 Single Plug Doors

Box Side Door Orientation C Centered

Side Door Width 10 Ft 6 In

Side Door Height 9 Ft 11 In

Body Material Standard Steel

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=BR-08.02.24-00



FB-01.23.24-00

Category: Bulkhead Flatcar

AAR Car Type: FM

Sale Type: Sale Only

Year(s) Built: 1973

Load Cap: 100ton

Length: 51ft 10in inside

Quantity Avail: 1

Notes:

Expounding Info:

At the owner's request please contact us for more information.

We can be reached by phone at: +1 708-251-2502,

by email at: rpaquette@prscorp.net,

or by skype at: rpaquette168

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=FB-01.23.24-00



FB-01.23.24-01

Category:	Bulkhead Flatcar
AAR Car Type:	F451
Sale Type:	Sale Only
Year(s) Built:	1974
Load Cap:	286
Length:	65ft 8in outside
Quantity Avail:	1

Expounding Info:

At the owner's request please contact us for more information.

We can be reached by phone at: +1 708-251-2502,

by email at: rpaquette@prscorp.net,

or by skype at: rpaquette168

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=FB-01.23.24-01

Notes:



FB-01.23.24-02

Category: Bulkhead Flatcar

AAR Car Type: F451

Sale Type: Sale Only

Year(s) Built: 1974

Load Cap: 286cap

Length: 65ft 8in outside

Quantity Avail: 1

Notes:

Expounding Info:

At the owner's request please contact us for more information.

We can be reached by phone at: +1 708-251-2502,

by email at: rpaquette@prscorp.net,

or by skype at: rpaquette168

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=FB-01.23.24-02



FB-01.23.24-03

Category:	Bulkhead Flatcar
AAR Car Type:	FB side stakes
Sale Type:	Sale Only
Load Cap:	70ton
Length:	58ft 2 1/4in striker
Quantity Avail:	1

Notes:

Expounding Info:

At the owner's request please contact us for more information.
We can be reached by phone at: +1 708-251-2502,
by email at: rpaquette@prscorp.net,
or by skype at: rpaquette168

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=FB-01.23.24-03



FB-01.23.24-04

Category: Bulkhead Flatcar

AAR Car Type: F141

Sale Type: Sale Only

Year(s) Built: 1975

Load Cap: 70ton

Length: 60ft 10in

Quantity Avail: 1

Notes:

Expounding Info:

At the owner's request please contact us for more information.

We can be reached by phone at: +1 708-251-2502,

by email at: rpaquette@prscorp.net,

or by skype at: rpaquette168

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=FB-01.23.24-04



FCO-05.28.24-00

Category: COFC/TOFC

AAR Car Type: P882

Sale Type: Lease Only

Year(s) Built: 80/81

Load Cap: 286cap

Length: 85ft 9in

Quantity Avail: 5

Notes:

Expounding Info:

Mechanical Designation FC - Flat-Intermodal (Standard, Low Profile, Stack)

Equipment Descriptor B341

FCC - Standard Intermodal

Equipment Type Code P882

Gross Rail Load/Weight 286000 lb

Tare Weight 62300 lb

Load Limit 223700 lb

Plate Code B

Outside Length 85 Ft 9 In

Outside Extreme Width 9 Ft 8 In

Outside Extreme Height 8 Ft 7 In

Outside Height Extr Width 2 Ft 11 In

Inside Length 80 Ft 5 In

Inside Width 8 Ft 9 In

OFC/COFC Load Width Cde 2 - 8 feet 6 inches

Intermodal Transport Serv CO - Container Only

DC2 - DBL CNTR 2-40ft or 4-20ft containers and various combinations

Floor Material Standard Steel

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=FCO-05.28.24-00



FCO-07.19.24-00

Category: COFC/TOFC

AAR Car Type: In Plant

Sale Type: Sale Only

Load Cap: heavy duty

Length: 89ft 4in

Quantity Avail: 2

Notes:

Expounding Info:

Flatcar are very heavy duty and will support 150,000 lbs. at their 66ft 0in truck centers.

Specifications are as follows:

Coupled Length 94ft 0in

Deck Length 8ftft 4in

Deck Width 9ft 0in

Truck Centers 66ft 0in

Capacity at 66ft truck centers 150,000 lbs.

2 complete 89ft rail cars for in plant captive use delivered to Tulsa, OK on their own wheels. 22500 each

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=FCO-07.19.24-00



FCO-07.24.24-00

Category: COFC/TOFC

AAR Car Type: F126

Sale Type: Sale or Lease

Year(s) Built: 1980

Load Cap: 70ton

Length: 89ft 4in

Quantity Avail: 56

Notes:

Expounding Info:

Mechanical Designation FMS - Flat-Straight Deck, Specially Equipped

Pending

Equipment Type Code F126

Built Date 07/01/1980

Gross Rail Load/Weight 220000 lb

Tare Weight 69400 lb

Load Limit 150600 lb

Plate Code B

Outside Length 94 Ft 8 In

Outside Extreme Width 10 Ft 0 In

Outside Extreme Height 8 Ft 8 In

Outside Height Extr Width 3 Ft 6 In

Inside Length 89 Ft 4 In

Inside Width 9 Ft 0 In

Truck Center Length 66 Ft 0 In

Platform Hght Above Rail 3 Ft 6 In

Floor Material Standard Steel

Coupler Style P - Plain

Inches of Travel 15 in

Draft System Type E Cushioning at End of Car (EOC)

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=FCO-07.24.24-00



FPX-08.01.24-00

Category:	PAX Flatcar	Expounding Info:	
AAR Car Type:	S168	Number Available	10 . 5 packs 50 platforms
Sale Type:	Sale Only	Built Date	1990
Year(s) Built:	1990	Builder	Gunderson
Cubes:	Articulated, 40ft Well Cars,	Mechanical Designation	FCWA
Load Cap:	795000	Car Type Code	S162
Length:	Articulated, 40ft We	Construction	Articulated, 40ft
Quantity Avail:	10	Well Cars, 5 packs	
Notes:		GRL	795000
		Light Weight	177000
		Compartments	5
		Clearance Diagram	Plate H
		Last commodity	Containers
		Availability	Immediate

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=FPX-08.01.24-00



GCW-05.16.23-00

Category:	Container Well Gondola
AAR Car Type:	3pkt dbl stack
Sale Type:	Sale Only
Load Cap:	100ton
Length:	40ft
Quantity Avail:	300

Expounding Info:

40ft 3pack double stack well cars

Sale only

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GCW-05.16.23-00

Notes:



GFR-01.22.24-00

Category:	Flat Bottom Gondola
AAR Car Type:	G119
Sale Type:	Sale Only
Year(s) Built:	2024
Cubes:	2480
Load Cap:	286
Length:	37ft 1 1/8in
Quantity Avail:	100

Notes:

Expounding Info:

Available end of Second Quarter
 Unequipped Gondola, Inside length less than 48ft,
 Steel Floor
 Solid ends, Inside height: 60-167 inches, Load Limit:
 205,000 and greater
 Sale Only
 Weights and Capacity
 Load Limit Est 235000 lbs
 Light Weight of Car Est 51000 lbs
 Gross Rail Load 286000 lbs
 Capacity level full 2480 cu ft
 Body Dimensions Reference Only
 Length Inside End Top Chords 37ft 1 3/8in
 Over Pulling Face of Couplers Normal 42ft 0in
 Over Strikers 39ft 4 1/2in
 Truck Centers 27ft 1in
 Width Over Top Chord 10ft 0 1/2in
 Inside the Side Sheets 9ft 2in
 Extreme at Bolster 10ft 8in
 Height Light car above rail new
 Extreme 11ft 1in
 Rail to Top of Floor at Bolster 3ft 7 1/2in
 Floor to Top of Top Chord 7ft 4 1/4in
 Rail to Centerline of Coupler nominal 2ft 10 1/2in

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GFR-01.22.24-00



GFR-08.26.24-00

Category:	Flat Bottom Gondola
AAR Car Type:	J301
Sale Type:	Sale Only
Year(s) Built:	78/79
Cubes:	4000
Load Cap:	100ton
Length:	53ft 1in
Quantity Avail:	6

Notes:

Expounding Info:

Mechanical Designation
 GT - Gondola-High Sides and Ends
 Equipment Type Code J301
 Gross Rail Load/Weight 263000 lb
 Tare Weight 60700 lb
 Load Limit 202300 lb
 Cubic Feet Capacity 4000 cuft
 B - Plate Code B
 Outside Length 53 Ft 1 In
 Outside Extreme Width 10 Ft 8 In
 Outside Extreme Height 12 Ft 6 In
 Inside Length 46 Ft 5 In
 Inside Width 9 Ft 7 In
 Inside Height 8 Ft 11 In
 Truck Center Length 40 Ft 6 In
 Floor Material Standard Steel
 F -Coupler Style R - Rotary Flat Bottom
 free move on 5 cars on the CN
 free move on one car on the BPRR and CN

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GFR-08.26.24-00



GFR-09.07.23-00

Category:	Flat Bottom Gondola
AAR Car Type:	J301
Sale Type:	Lease Only
Year(s) Built:	1985
Cubes:	4300cu
Load Cap:	286cap
Length:	53ft 1in
Quantity Avail:	35

Notes:

Expounding Info:

GT - Gondola-High Sides and Ends Alum - for Unloading in Dumping Machines Only

Lease Only

Equipment Type Code J301

Some freight assistance

E - Built new from July 1,1974, Qualified for 50 Years Service

Gross Rail Load/Weight 286000 lb

Tare Weight 47300 lb

Load Limit 238700 lb

Cubic Feet Capacity 4300 cuft

Plate Code B

Outside Length 53 Ft 1 In

Outside Extreme 10 Ft 8 In

Outside Extreme 13 Ft 0 In

Outside Height Extr Width 13 Ft 0 In

Outside Upper Eaves Width 10 Ft 8 In

Outside Upper Eaves Hght 13 Ft 0 In

Inside Length 47 Ft 0 In

Inside Width 9 Ft 10 In

Inside Height 9 Ft 4 In

Truck Center Length 40 Ft 6 In

Equipment Builder Greenville Steel Car

Floor Material 01 - Aluminum

Gondola Floor Design Flat Bottom

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GFR-09.07.23-00



GM-01.22.24-00

Category:	Mill Gondola
AAR Car Type:	G519
Sale Type:	Sale or Lease
Year(s) Built:	2024
Cubes:	2950
Load Cap:	286cap
Length:	52ft 3 1/2in
Quantity Avail:	100

Notes:

Expounding Info:

New available second quarter of 2024
 Sale Only
 AAR G519
 Weights and Capacity
 Load Limit Est. 225700 lbs
 Light Weight of Car Est. 60300 lbs
 Gross Rail Load 286000 lbs
 Capacity Nominal 2950 cu. ft.
 Capacity Est. including 10in heap 3350 cu. ft.
 Body Dimensions Reference Only
 Length Inside End Sheets 52ft 3 1/2in
 Over Pulling Face of Couplers Normal 57ft 4in
 Over Strikers 54ft 8 1/2in
 Truck Centers 40ft 4 1/2in
 Widths Extreme 10ft 8in
 Inside the Side Sheets at Top ft 7 3/4in
 Inside the Side Sheets at Bottom ft 1 3/4in
 Heights Light car above rail new
 Extreme ft 8 /32in
 Rail to Top of Floor at Bolster 3ft 7 1/8in
 Floor to Top of Top Chord 6ft 0in
 Rail to Centerline of Coupler Nominal 2ft 10 1/2in

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GM-01.22.24-00



GM-07.24.24-00

Category:	Mill Gondola
AAR Car Type:	E534
Sale Type:	Sale Only
Year(s) Built:	1980/81
Cubes:	2494
Load Cap:	100ton
Length:	52ft 6in inside
Quantity Avail:	30

Notes:

Expounding Info:

AAR car type E 534
Lt Weight 65000\Steel
Inside 52ft 6in
Inside Ht. 5ft
Inside Width 9ft 6in
Extream Ht 8ft 9in
Extream Width 10ft 5in

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GM-07.24.24-00



GM-08.28.24-00

Category:	Mill Gondola
AAR Car Type:	E534
Sale Type:	Sale or Lease
Year(s) Built:	1980
Cubes:	2493cu
Load Cap:	100ton
Length:	52ft 6in inside
Quantity Avail:	16

Notes:

Expounding Info:

Gondola-Flat Bottom, Specially Equipped
Equipment Type Code E534

Gross Rail Load/Weight 263000 lb

Tare Weight 65100 lb

Load Limit 197900 lb

Cubic Feet Capacity 2493 cuft

Plate Code B

2 cars are EOL in 2026 and 14 are EOF in 2030

Outside Length 57 Ft 1 In

Outside Extreme Width 10 Ft 7 In

Outside Extreme Height 8 Ft 9 In

Outside Height Extr Width 8 Ft 0 In

Outside Upper Eaves Width 10 Ft 5 In

Outside Upper Eaves Hght 8 Ft 9 In

Inside Length 52 Ft 6 In

Inside Width 9 Ft 6 In

Inside Height 5 Ft 0 In

Floor Material Standard Steel

Cars are tight as they have been in lime stone service which is fine like sand

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GM-08.28.24-00



GT-01.25.23-00

Category:	Tub Gondola
AAR Car Type:	aluminum BethGon II
Sale Type:	Sale or Lease
Year(s) Built:	2008
Cubes:	4520cu
Load Cap:	286cap
Length:	Length over strikers
Quantity Avail:	265

Expounding Info:

At the owner's request please contact us for more information.

We can be reached by phone at: +1 708-251-2502,

by email at: rpaquette@prscorp.net,

or by skype at: rpaquette168

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GT-01.25.23-00

Notes:



GT-03.12.24-00

Category:	Tub Gondola
AAR Car Type:	J312
Sale Type:	Sale or Lease
Year(s) Built:	80/85
Cubes:	4240
Load Cap:	100ton
Length:	53ft 1in
Quantity Avail:	74

Notes:

Expounding Info:

Mechanical Designation GT - Gondola-High Sides and Ends - for Unloading in Dumping Machines Only

Sale or Lease

Equipment Type Code J312

Extended Service R - Rule 88, Rebuilt cars

Gross Rail Load/Weight 263000 lb

Tare Weight 53000 lb

Load Limit 210000 lb

Cubic Feet Capacity 4240 cuft

Plate Code C

Outside Length 53 Ft 1 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 12 Ft 4 In

Outside Height Extr Width 11 Ft 2 In

Outside Upper Eaves Width 10 Ft 8 In

Outside Upper Eaves Hght 12 Ft 4 In

Inside Length 48 Ft 0 In

Inside Width 9 Ft 10 In

Body Material 19 - Standard Steel

Floor Material 19 - Standard Steel

Gondola Floor Design D - Depressed Bottom

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GT-03.12.24-00



GT-08.07.23-00

Category:	Tub Gondola
AAR Car Type:	J311
Sale Type:	Sale or Lease
Year(s) Built:	1984/2006
Cubes:	4520cu
Load Cap:	286cap
Length:	53ft 1in outside
Quantity Avail:	60

Notes:

Expounding Info:

GT - Gondola-High Sides and Ends Alum cars- for Unloading in Dumping Machines Only

Equipment Type Code J311

Sale or lease

35 of the Ortner 1984 built Texas location

25 Freight America cars 2006 built upstate NY

.....35 of the cars are flat bottom (Ortner cars) and the other

.....25 have the concave/depressed bottom

Built new from July 1,1974, Qualified for 50 Years Service

Gross Rail Load/Weight 286000 lb

Tare Weight 41700 lb

Load Limit 244300 lb

Weighing Date A288 06/02/2006

Cubic Feet Capacity 4520 cuft

Plate Code B

Outside Length 53 Ft 1 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 12 Ft 10 In

Outside Height Extr Width 12 Ft 10 In

Outside Upper Eaves Width 10 Ft 8 In

Outside Upper Eaves Hght 12 Ft 10 In

Inside Length 47 Ft 10 In

Inside Width 9 Ft 10 In

Inside Height 11 Ft 6 In

Truck Center Length 40 Ft 6 In

Body Material 01 – Aluminum

Gondola Floor Design Depressed Bottom

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GT-08.07.23-00



GT-08.28.24-00

Category:	Tub Gondola
AAR Car Type:	Beth Gon
Sale Type:	Sale Only
Year(s) Built:	1998
Cubes:	4400cu
Load Cap:	100ton
Length:	53ft 1in
Quantity Avail:	400

Notes:

Expounding Info:

Alum Beth Gons
 Inside length 47ft 9 1/8in
 inside Width 9ft 9 1/2in
 Extreme Ht. 12ft 9 1/2in
 Light Weight 43500lbs
 GRL 286000lbs

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GT-08.28.24-00



GT-09.07.23-00

Category:	Tub Gondola
AAR Car Type:	Beth Gon
Sale Type:	Lease Only
Year(s) Built:	2005
Cubes:	4520cu
Load Cap:	286cap
Length:	47ft 9 1/8in
Quantity Avail:	25

Notes:

Expounding Info:

Beth Gon II Inside Length 47ft 9 1/8in
 Builder Freight car America
 Lease
 50ft 5 1/2in over striker
 Extreame Lenght 53ft 1in
 Inside width 9ft 10in
 Lt weight 41700lbs
 Load Limit 244300lbs
 All steel Underframe
 Alum Outside stake
 Flat intermediate Floor
 Twin Alum Round bottom Tubs
 AAR Plate B
 Rotary dump

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GT-09.07.23-00



HB-11.08.24-00

Category:	Ballast Hopper
AAR Car Type:	Ballast hoppers
Sale Type:	Sale Only
Year(s) Built:	1980
Cubes:	2396
Load Cap:	100ton
Length:	41ft 2in over Strike
Quantity Avail:	75

Notes:

Expounding Info:

Builder Ortner
 Built 1980
 Rapid Discharge
 2396 cu
 100ton
 41ft 2in over strikers
 Inside Width 9ft 10in
 Inside Height 8ft 7 5/8in
 Inside Length 30ft 5in

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HB-11.08.24-00



HC-01.27.23-00

Category:	Covered Hopper
AAR Car Type:	c112
Sale Type:	Sale or Lease
Year(s) Built:	2011/2012
Cubes:	3258
Load Cap:	286
Length:	41ft 11in
Quantity Avail:	280

Notes:

Expounding Info:

Hopper-Covered
 Sale or lease
 Builders 2/3 ARI and 1/3 Trinity.
 Basically all the same specs have actual specs for each group!
 Owner would like to do a net lease
 Equipment Type C112
 Built new Qualified for 50 Years Service
 End of Service 3/01/2061
 Gross Rail Load/Weight 286000 lb
 Tare Weight 53200 lb
 Load LimitL 232800 lb
 Cubic Feet Capacity 3258 cuft
 Plate Code C
 Outside Length 41 Ft 11 In
 Outside Extreme Width 10 Ft 7 In
 Outside Extreme Height 15 Ft 1 In
 Outside Height Extr Width 8 Ft 7 In
 Equipment Builder ARI Industries

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-01.27.23-00



HC-02.01.24-00

Category:	Covered Hopper
AAR Car Type:	C112
Sale Type:	Sale Only
Year(s) Built:	1992
Cubes:	3000
Load Cap:	100ton
Length:	41ft 11in outside
Quantity Avail:	4

Notes:

Expounding Info:

AAR Car Type Code C112
 Cubic Ft Capacity 03000 cu ft
 Sale Only
 Round roof hatch center line of car
 built 1992
 Plate Clearance B
 Outside Length 041 ft 11 in
 Outside Extreme Height 15 ft 01 in
 Outside Extreme Width 10 ft 08 in
 Height of Extreme Width 03 ft 00 in
 Upper Eaves Height 14 ft 06 in
 Max Weight on Rail 263000 lbs.
 Tare Weight 056900 lbs.
 Load Limit 206100 lbs

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-02.01.24-00



HC-02.28.24-00

Category:	Covered Hopper
AAR Car Type:	C112
Sale Type:	Sale Only
Year(s) Built:	2013
Cubes:	3250
Load Cap:	286cap
Length:	39ft 5in over strike
Quantity Avail:	50

Notes:

Expounding Info:

Built Date	2013
Builder	Greenbrier

Sale Only
 10ft 8 in Ext Width
 15ft 3in ext height

Plate C
 Lt weight 54500lbs
 Load Limit 231500lbs
 3 round Hatches 36 1/2in

Cubic Capacity	3250 CF
GRL	286,000
Light Weight	54,500
Load Limit	231,500

price includes freight assistance anywhere on CSX and also includes any needed ABT or repairs to make them interchange worthy

Location Various, Southeast

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-02.28.24-00



HC-04.04.24-00

Category:	Covered Hopper
AAR Car Type:	C111
Sale Type:	Lease Only
Year(s) Built:	50 yr service
Cubes:	2980
Load Cap:	286cap
Length:	41ft 11in outside
Quantity Avail:	1

Notes:

Expounding Info:

Mechanical Designation LO - Hopper-Covered
 Equipment Type Code C111
 Covered Hopper, Gravity Unloading, Permanent Roof, Less than
 3000 cu ft capacity
 Built new from July 1,1974, Qualified for 50 Years Service
 Gross Rail Load/Weight 286000 lb
 Tare Weight 53900 lb
 Load Limit 232100 lb
 Cubic Feet Capacity 2980 cuft
 Plate Code B
 Outside Length 41 Ft 11 In
 Outside Extreme Width 10 Ft 8 In
 Outside Extreme Height 15 Ft 1 In
 Outside Height Extr Width 4 Ft 8 In
 Outside Upper Eaves Width 8 Ft 0 In
 Outside Upper Eaves Hght 14 Ft 8 In
 Outside Lower Eaves Width 10 Ft 2 In
 Outside Lower Eaves Hght 13 Ft 10 In
 Lining Material 28 - Unlined
 Roof Type 4 - Round hatches on center line of car

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-04.04.24-00



HC-06.03.24-00

Category:	Covered Hopper
AAR Car Type:	C113
Sale Type:	Sale Only
Year(s) Built:	EOL 10/24
Cubes:	4750
Load Cap:	100ton
Length:	60ft outside
Quantity Avail:	73

Notes:

Expounding Info:

Mechanical Designation LO - Hopper-Covered
 Equipment Type Code C113
 26 cars were in Grain service
 22 cars were in Clay service
 Accepting offers
 End of Service Date 10/01/2024
 Do Not Load After 09/01/2024
 Gross Rail Load/Weight 263000 lb
 Tare Weight 60200 lb
 Load Limit 202800 lb
 Cubic Feet Capacity 4750 cuft
 Plate Code B
 Outside Length 60 Ft 0 In
 Outside Extreme Width 10 Ft 8 In
 Outside Extreme Height 15 Ft 0 In
 Outside Height Extr Width 8 Ft 5 In
 Outside Upper Eaves Width 9 Ft 7 In
 Outside Upper Eaves Hght 14 Ft 3 In
 Body Material Standard Steel
 Degree of Slope Sheets 45 deg
 Unloading System Type GRAV –Gravity
 Equipment Builder PS - Pullman-Standard
 Lining Material Unlined
 Roof Type 1 Trough hatch in roof

More information is available on our website or at:
https://www.prscorp.net/ref_details.php?ref=HC-06.03.24-00



HC-08.01.24-00

Category: Covered Hopper

AAR Car Type: C112

Sale Type: Sale Only

Year(s) Built: 2011

Cubes: 3250

Load Cap: 286cap

Quantity Avail: 60

Notes:

Expounding Info:

Mechanical Designation	LO
Car Type Code	C112
Last commodity	Sand
Built Date	2011
Builder	Gunderson
Construction	Steel, Through Sill
Cubic Capacity	3250 CF
GRL	286000
Light Weight	52700
Compartments	2
Gates	2 Miner 13 x 42
rack and pinion, low profile	
Hatches	3 Centerline
Couplers	SBE60EE Bottom
Shelf	
Clearance Diagram	Plate C
Availability	Immediate
Location	In-Service,
Midwest	

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-08.01.24-00



HC-08.09.24-00

Category: Covered Hopper

AAR Car Type: C113

Sale Type: Lease Only

Year(s) Built: 82/83

Cubes: 4750

Load Cap: 100ton

Quantity Avail: 25

Notes:

Expounding Info:

Mechanical Designation LO - Hopper-Covered

Coming out of grain service

Free move on CSX. Dirty with grain.

Equipment Type Code C113

Roof Type 1 - Trough hatch in roof

Gross Rail Load/Weight 268000 lb

Tare Weight 60600 lb

Load Limit 207400 lb

Plate Code B

Outside Length 60 Ft 0 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 14 Ft 11 In

Outside Height Extr Width 3 Ft 6 In

Outside Upper Eaves Width 8 Ft 0 In

Outside Upper Eaves Hght 14 Ft 6 In

Unlined

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-08.09.24-00



HC-09.07.23-00

Category:	Covered Hopper
AAR Car Type:	C113
Sale Type:	Lease Only
Year(s) Built:	80/81
Cubes:	4600
Load Cap:	100ton
Length:	58ft 1in
Quantity Avail:	27

Notes:

Expounding Info:

Mechanical Designation LO - Hopper-Covered
 Equipment Type Code C113
 Lease
 Extended Service A096
 E - Built new from July 1,1974, Qualified for 50 Years
 Service
 Gross Rail Load/Weight 263000 lb
 Tare Weight 62000 lb
 Load Limit 201000 lb
 Cubic Feet Capacity 4600 cuft
 Plate Code B
 Outside Length 58 Ft 1 In
 Outside Extreme Width 10 Ft 8 In
 Outside Extreme Height 15 Ft 1 In
 Outside Height Extr Width 3 Ft 8 In
 Outside Upper Eaves Width 8 Ft 0 In
 Outside Upper Eaves Hght 14 Ft 9 In
 Unloading System Type GRAV – Gravity
 Body Material 19 - Standard Steel
 Equipment Builder ACF - American Car & Foundry
 Lining Material 26 - Synthetic
 Roof Type 1 - Trough hatch in roof

More information is available on our website or at:
https://www.prscorp.net/ref_details.php?ref=HC-09.07.23-00



HC-10.11.23-00

Category: Covered Hopper

AAR Car Type: C114

Sale Type: Lease Only

Year(s) Built: 2023

Cubes: 6580

Load Cap: 286cap

Length: 69ft 7in outside

Quantity Avail: 30

Notes:

Expounding Info:

Number Available	30
Mechanical Designation	LO
Car Type Code	C114
Lease Only	
Built Date	2023
Builder	Gunderson
GRL	286000
Light Weight	68700
Load Limit	217300
Cubic Capacity	6580 CF
Compartments	4
Linings	None
Outside Length	69ft 07in
Extreme Width	10ft 07in
Extreme Height	15ft 06in
Clearance Diagram	Plate C
Hatches	Trough
Gates	Gravity
Bearings	6-1/2 x 9
Wheels	36in
Couplers	SBE60EE Bottom
Shelf	
Draft Gear	Standard

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-10.11.23-00



HC-11.02.23-00

Category: Covered Hopper

AAR Car Type: C114

Sale Type: Lease Only

Year(s) Built: 2016

Cubes: 5400

Load Cap: 286cap

Length: 55ft 5in outside

Quantity Avail: 10

Notes:

Expounding Info:

Mechanical Designation LO - Hopper-Covered

FS lease 4.5 years sub lease

Equipment Type Code C114

Gross Rail Load/Weight 286000 lb

Tare Weight 61800 lb

Load Limit 224200 lb

Cubic Feet Capacity 5400 cuft

Plate Code C

Outside Length 55 ft 5 in

Outside Extreme Width 10 ft 8 in

Outside Extreme Height 15 ft 6 in

Outside Height Extr Width 8 ft 3 in

Roof Type Trough hatch in roof

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-11.02.23-00



HC-11.22.22-00

Category:	Covered Hopper
AAR Car Type:	C112
Sale Type:	Sale or Lease
Year(s) Built:	87/90
Cubes:	3000
Load Cap:	100ton
Length:	41ft 10in
Quantity Avail:	13

Notes:

Expounding Info:

Hopper-Covered
Sale or lease
Cement Gates
Hawker Sidley builder
Equipment Type C112
Gross Rail Load 263000 lb
Tare Weight 54900 lb
Load Limit 208100 lb
Cubic Feet 3000 cuft
Plate Code B
Outside Length 41 Ft 10 In
Outside Extreme Width 10 Ft 8 In
Outside Extreme Height 15 Ft 0 In
Outside Height Extr Width 13 Ft 8 In
Outside Upper Eaves Width 9 Ft 0 In
Outside Upper Eaves Hght 14 Ft 7 In
Outside Lower Eaves Width 10 Ft 3 In
Outside Lower Eaves Hght 10 Ft 7 In
Lining Material Unlined
Roof TypeA2264 Round hatches on center line of car

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-11.22.22-00



HCP-09.21.22-00

Category:	Covered Plastic Hopper
AAR Car Type:	C214
Sale Type:	Lease Only
Cubes:	5850cu
Load Cap:	263 cap
Length:	68ft 3in outside Len
Quantity Avail:	14

Notes:

Expounding Info:

AAR C214
 Formerly Ref# HC-06.14.22-00
 Lease only
 Plastic Pellet gates
 Plate C
 5850 cu
 4 compartments
 Round Hatches
 Currently at shop and storage on CSX
 68ft 3in Outside Length
 15ft 5in Extreme Height
 10ft 6in Outside width
 Max weight to rail 263
 Tare 68900
 Load limit 19433lbs

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HCP-09.21.22-00



HCPD-02.09.24-00

Category:	Covered PD Hopper
AAR Car Type:	PD Cov Hopper
Sale Type:	Lease Only
Year(s) Built:	2018
Cubes:	3230
Load Cap:	286cap
Length:	43ft 1in over strike
Quantity Avail:	4

Notes:

Expounding Info:

PD Hoppers 14.7 PSIG
 Lease Only
 Can be used in cement
 Have interior linings
 Inside Length 36ft 5in
 Length over couplers Pulling faces 45ft 8 1/2in
 Inside Width 10ft 3 11/16in
 Extreme Width 10ft 4 3/4in
 Extreme Height 15ft 6in
 Cubes 3230
 Light Weight 56500
 Gross rail Load 286000lbs
 Load Limit 229500 LBS

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HCPD-02.09.24-00



HCPD-04.04.24-00

Category:	Covered PD Hopper
AAR Car Type:	C612
Sale Type:	Lease Only
Year(s) Built:	50 Years Service
Cubes:	3915cu
Load Cap:	100ton
Length:	61 Ft 10 In Outside
Quantity Avail:	12

Notes:

Expounding Info:

Mechanical Designation LO - Hopper-Covered
Equipment Type Code C612
Built new from July 1,1974, Qualified for 50 Years Service
AAR End of service Dates below
2/1/2032
12/1/2029
9/1/2029
11/1/2025
1/1/2030
12/1/2029
10/1/2027
9/1/2029
11/1/2025
3/1/2027
1/1/2031
4/1/2031
Gross Rail Load/Weight 263000 lb
Tare Weight 65200 lb
Load Limit 197800 lb
Cubic Feet Capacity 3915 cuft
Plate Code B
Outside Length 61 Ft 10 In
Outside Extreme Width 10 Ft 4 In
Outside Extreme Height 13 Ft 4 In
Outside Height Extr Width 8 Ft 2 In
Outside Upper Eaves Width 7 Ft 5 In
Outside Upper Eaves Hght 13 Ft 4 In
Unloading System Type PSDF - Pressure Differential
4-Pressure ABT Recvr Eqpd E – Equipped
Lining Material 28 - Unlined
Roof Type 4 - Round hatches on center line of car

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HCPD-04.04.24-00



HO-02.27.24-00

Category: Open Hopper

AAR Car Type: H350

Sale Type: Sale or Lease

Year(s) Built: 1999/2005

Quantity Avail: 42

Notes:

Expounding Info:

Mechanical Designation HT - Hopper-3 or more Compartments,
Doors Hinged Crosswise, Dumping Between Rails

Alum cars

Sale or lease

Type Code H350

Lease Only

Slope Sheets 60 degrees

Gross Rail Load/Weight 286000 lb

Alum body

Tare Weight 49100 lb

Load Limit 236900 lb

Cubic Feet Capacity 4200 cuft

Plate Code B

Outside Length 53 Ft 1 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 13 Ft 4 In

Outside Height Extr Width 13 Ft 4 In

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HO-02.27.24-00



L-02.16.24-00

Category:	Locomotive
AAR Car Type:	D - Locomotive
Sale Type:	Sale Only
Quantity Avail:	1

Notes:

Expounding Info:

DFGT Freight Diesel Electric

Sale Only

Locomotive Model Number EMD

Horsepower 1850

Video available

4 axle engine installed new engine in 2015, cameras operational, asset is operational Brakes have 60 Percent remaining. Asset moves forward and backward, Oil changed in November 2023, New Air compressor green 7.3.23. 24 volt batteries were replaced 1 yr ago. Generator is 1 year old. Service records available.

Outside Length OSLG

56 Ft 2 In

Outside Extreme Width A186

10 Ft 4 In

Outside Extreme Height A185

15 Ft 6 In

Truck Center Length A276

31 Ft 0 In

Front Snowplow Height B101

1 Ft 3 In

Truck Count B256

2

Axle Count A024

4

Wheel Bearing Type B191

R Roller

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-02.16.24-00



L-05.17.23-00

Category: Locomotive

AAR Car Type: SW900

Sale Type: Sale Only

Quantity Avail: 1

Notes:

Expounding Info:

SW900 switcher for sale

Supposed to have 2in wheels

ST. LOUIS location

Unit was in daily use until plant closing, has been winterized for about 18 months.

They can fire it up for you !

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-05.17.23-00



L-06.14.24-00

Category: Locomotive

AAR Car Type: GP40-3

Sale Type: Sale Only

Quantity Avail: 1

Notes:

Expounding Info:

LOCOMOTIVE MODEL	GP40 3 Medha
Rewired	
ENGINE MODEL	16 645E3
MAX. HORSEPOWER	3000 HP
TURBO MODEL	EQUIPPED
GENERATOR/ALTERNATOR	AR10
AUXILIARY GENERATOR	18KW
AIR COMPRESSOR	WBO
AIR BRAKE TYPE	26L
DYNAMIC BRAKING	EQUIPPED
TRACTION MOTORS	D77s
TRUCKS	
BLOMBERG	
BATTERIES	NEWER
ELECTRICAL CABINETS	UPDATED EXCELLENT
PARTIAL LOW VOLTAGE RE WIRE	
CURRENT AIR DATE	IN STORAGE
FRA QUALIFIED	IN STORAGE
MULTIPLE UNIT HOOK UP	EQUIPPED
LAST CLASS OVERHAU	LATE 2000's
LAST SHOP DATE	2023
CONTROL STAND	NEW STYLE EMD
CAB/CARBODY CONDITION	GOOD
SHORT HOOD FORWARD CONFIGURATION	
PAINT CONDITION	NEW
WHEEL TREAD THICKNESS 2.5in WHEELS	

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-06.14.24-00



L-06.27.23-00

Category:	Locomotive
AAR Car Type:	SHUTTLEWAGON
Sale Type:	Sale Only
Quantity Avail:	1

Notes:

Expounding Info:

Engine Cylinders
 Cummins QSB6.7 6 Cylinder 185 hp 6.7 L Diesel Engine
 Blow by @ idle (subjective visual observation)

Minor
 Starter
 Operational
 Radiator
 Rating:
 Good
 Oil Leaks
 No dripping leaks
 Fuel Leaks
 No dripping leaks
 Cooling System Leaks
 No dripping leaks
 Limited Function Check (Engine)
 The engine started and ran.

LOGISTICS INFORMATION

General Condition
 Fair
 Shipping Dimensions
 20 ft Long x 6 ft Wide x 10 ft 5 in Tall
 General Shipping Information
 Yes: Does this Unit Run? Yes: If self propelled, does the unit travel? Yes: Inflated Tires - item can roll? No: Is the unit taller than 12'? No: Is the unit wider than 8'6"? No:
 Noticeable fluid leaks?
 Modifications
 1 Axles, Track Gauge 56 in - 59 in, Max Speed Capability:

Fuel Capacity:

CONTROL STATION

Hydraulic Controls

Rating:

Good

Drivetrain Controls

Rating:

Good

Steering Control

Rating:

Good

Dash Console Condition

Rating:

Good

Oil Pressure

The gauge registers in the operating range.

Continued on Next Page...



L-06.27.23-00

Expounding Info Continued:

Warning Lights

Operational

Gauges

Operational

Hour Meter/Odometer (Start)

684 hrs

Hour Meter/Odometer

684 hrs, Operational hour meter

Limited Function Check (Control Station)

The main components are in place and operational as noted.

Brand new remote control cable provided and remote control confirmed to work.

SECTION 5

Frame Condition

Rating:

Good

Belly pans

Rating:

Good

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-06.27.23-00



L-08.14.24-00

Category: Locomotive

AAR Car Type: SW1200

Sale Type: Sale Only

Quantity Avail: 1

Notes:

Expounding Info:

LOCOMOTIVE MODEL: SW1200
 MANUFACTURER . YR BUILT: EMD 1958
 FOB POINT: WASHINGTON
 LOW OR HIGH NOSE: SWITCHER
 SHORT OR LONG HOOD FORWARD: SWITCHER
 LOCOMOTIVE WEIGHT: 120 TONS
 ENGINE MODEL: 12 567C
 TURBO MODEL: NOT EQUIPPED
 MAX HORSEPOWER: 1200 HP
 GENERATOR/ALTERNATOR: D15C
 AUXILIARY GENERATOR: 10KW
 AIR COMPRESSOR: WXO
 DYNAMIC BRAKING: N/A
 EXTENDED RANGE: N/A
 AIR BRAKE TYPE: 26L
 CURRENT AIR DATE: STORAGE CREDIT
 TRACTION MOTORS: D77 S
 TRUCKS: AAR SWITCHER
 JOURNAL BOXES: ROLLER
 WHEEL TREAD THICKNESS: ALMOST NEW WHEELS
 FRA QUALIFIED: YES
 DITCH LIGHTS: NOT EQUIPPED
 MULTIPLE UNIT: EQUIPPED
 ELECTRICAL CABINETS: EXCELLENT
 BATTERIES: USED
 COOLING FANS: BELT DRIVEN
 CAB/CARBODY CONDITION: VERY GOOD
 PAINT CONDITION: OK
 FUEL CAPACITY: 600 GALLON
 SPEED RECORDER: NOT EQUIPPED
 CONTROL STAND: NEW STYLE CASH REGISTER
 MODIFICATIONS: SPARK ARRESTORS
 COMMENTS: THIS LOCOMOTIVE IS IN
 GOOD CONDITION

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-08.14.24-00



L-11.09.23-00

Category: Locomotive

AAR Car Type: SW900

Sale Type: Sale Only

Quantity Avail: 1

Notes:

Expounding Info:

SW900 JUST OFF LEASE

900 Horsepower

8 cyl 567C

D15 MG

Good Wheels

Alignment Controlled Couplers, YES

F couplers

Location,

Minooka,

Illinois

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-11.09.23-00



L-12.21.22-00

Category: Locomotive

AAR Car Type: SD40-2

Sale Type: Sale or Lease

Quantity Avail: 1

Notes:

Expounding Info:

SD40 2 Low nose

Former Conrail & NS unit

Privately owned

Blue card Ready for service

Good wheels

26L brakes with Dymamics

This SD40 2 is an exceptional unit

Completely gone through, no defects blue card qualified

Batteries are new

Has had a new Tri annual

Located in western Indiana near Illinois line

Direct connection on UP

A good lease option to buy as well !

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-12.21.22-00



M-03.26.21-00

Category: Misc

AAR Car Type: Scale test car

Sale Type: Sale Only

Quantity Avail: 1

Notes:

Expounding Info:

Scale test car 80050 scale test car as is, where is Bid price

Built in 1931 with a tare weight of 80,000 lbs.

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=M-03.26.21-00



M-04.12.23-01

Category:	Misc
AAR Car Type:	Vertical Steam Generator
Sale Type:	Sale Only
Quantity Avail:	1

Notes:

Expounding Info:

Vertical Steam Generator

More information is available on our website or at:
https://www.prscorp.net/ref_details.php?ref=M-04.12.23-01



M-04.12.23-02

Category:	Misc
AAR Car Type:	HX30 Vacuum Excavator
Sale Type:	Sale Only
Quantity Avail:	1

Notes:

Expounding Info:

HX30 Vacuum Excavator

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=M-04.12.23-02



M-05.07.24-01

Category: Misc

AAR Car Type: Pup Tamper

Sale Type: Sale Only

Quantity Avail: 1

Notes:

Expounding Info:

Manufacturer Jackson

Model 2500 TJL525L

Rebuilt and improvements

Engine rebuilt

Hydraulics rebuilt

Location Connersville Indiana

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=M-05.07.24-01



M-06.13.24-00

Category:	Misc
AAR Car Type:	ABDX Values
Sale Type:	Sale Only
Quantity Avail:	3

Notes:

Expounding Info:

3 Rebuilt ABDX values located in Salt Lake City Offers

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=M-06.13.24-00



M-10.22.20-00

Category:	Misc
AAR Car Type:	Concrete Pylons
Sale Type:	Sale Only
Quantity Avail:	215

Notes:

Expounding Info:

Here is info for the Prestressed Concrete Pylons I have available

due to bridge design change.

Prestressed concrete pylons

50ft to 120ft long

All 30in square

Quantity 215

179 qty over 100ft long

Weight approximately 660lb foot

Average weight 35 tons

Life cycle 100 years ocean exposure

10000 psi concrete

Designed to be water jetted down to 60ft of ocean floor allow for 30ft of erosion and still hold bridge in 135 mph wind.

Located coastal North Carolina

Barge loading access available.

Save up to 46 weeks on construction schedule.

Contact for further details.

Can arrange for production of additional materials as needed such as caps beams and deck.

Can assist coordinate logistics and loading.

Suggested use as marker at end of artificial jetties for warning lighting.

ocean piersdocks for LNG Projects

Tank support and ground stabilization

Advise for additional information.

Suggested use as marker at end of artificial jetties for warning lighting.

ocean piers docks for LNG Projects,

Tank support and ground stabilization

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=M-10.22.20-00



M-11.14.23-00

Category:	Misc
AAR Car Type:	Tamping machine
Sale Type:	Sale Only
Quantity Avail:	2

Notes:

Expounding Info:

The Plasser American Corporation 08 32 Unimat 4s is a fully automatic tamping machine. The 08 32 Unimat can be used to tamp, lift and line switches or plain track. The 08 32 Unimat 4s utilizes the proven Plasser technology along with the AGGS computer geometry system to give superb quality track work. The 08 32 Unimat 4S uses a 32 tool split tamping unit system that allows the independent tamping of inside and outside the rail or any combination there of. The tamping units can also be traversed side to side and telescoped outside the frame, and rotated to allow for the most complete, accurate tamping of a switch. The rail lifting and lining is done with a rail hook and roller clamp assembly. The 08 32 Unimat 4s also has an auxiliary third rail lifting clamp that will allow the lifting of the turnout rail in conjunction with the main lift to eliminate the need for helper jacks to prevent over lifting of the main rail.

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=M-11.14.23-00



T-01.21.21-00

Category:	Tank Car
AAR Car Type:	T178 - Dot 117J
Sale Type:	Sale Only
Year(s) Built:	2014/2015
Gallons:	28371
Load Cap:	286cap
Length:	59ft 5in
Quantity Avail:	187

Notes:

Expounding Info:

Description 2014-2015 Trinity DOT 117J
Sale only
There may be a little wiggle room on pricing depending on quantity of cars purchased!
Category Rail - Tank Cars
Year 2015
Manufacturer/Make TRINITY
Model DOT 117J
Mechanical Designation
Equipment Type Code T178
Cars were shopped for cleaning and adding new interior lining [PPG Novaguard 890]. They need to be recertified. - Sample copy of inspection report can be attached.
NOVAGUARD 890 coating is a solvent-free, single-coat, novolac phenolic epoxy lining that meets emerging petrochemical industry requirements for the storage of biofuels, including ethanol fuel blends. In addition to holding crude oil at temperatures of up to 194 degrees F, NOVAGUARD 890 coating can be used to store aggressive biofuels, such as gasolines with 5 to 95 percent ethanol. Like NOVAGUARD 840 coating, it has excellent pit-filling characteristics and can be used as a reinforced lining for refurbished tank bottoms.
Built Date 10/01/2014
Gross Rail Load/Weight 286000 lb
Tare Weight 92700 lb
Load Limit 193300 lb
Gallonage Capacity 28470 usgl
Plate Code C
Outside Length 59 Ft 5 In
Outside Extreme Width 10 Ft 7 In
Outside Extreme Height 15 Ft 6 In
Outside Height Extr Width 8 Ft 0 In
Major Class 17 DOT 117J100W
Coil Material C Carbon Steel
Coils Exterior Interior E Exterior
head Protection Thickness 0.500 9.999 in
Head Protection Type
F - Full Height Head Shield
Jacket Material Category N - CARBON STEEL
Jacket Thickness 0.1196 9.9999 in
Insulatn Thrmal Prot Type
FC - Fiberglass & Ceramic Fiber
Insulation Thickness 3.5 99.9 in
Bottom Outlet/Fitting Typ C - Bottom Outlet & Sump
Bottom Outlet Count 1

Continued on Next Page...



T-01.21.21-00

Expounding Info Continued:

Btm Outlet Vlv Actuation

C - Handle that is disengaged from the valve when in the closed position and located outside the skid

Condition and Notes 1-21-21: Cars were shopped for cleaning and adding new interior lining [PPG Novaguard 890]. Ready for immediate service. - Sample copy of inspection report is available. Will consider serious offers to purchase or triple net lease.

Cars were previously in Baken Oil however since then blasted with new lining cars will need periodic inspections in 2024 2025 Cars have stainless steel valves.

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-01.21.21-00



T-03.04.24-00

Category: Tank Car

AAR Car Type: 111A100W1

Sale Type: Sale Only

Year(s) Built: 1975

Gallons: 23500 gal

Load Cap: 100ton

Quantity Avail: 2

Notes:

Expounding Info:

Pending deal

Dot 111a100W1

23500 gal

1975

North American

Last contained Diesel Fuel

Cleansed Certificates available

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-03.04.24-00



T-05.10.24-00

Category: Tank Car

AAR Car Type: DOT111A

Sale Type: Sale Only

Gallons: 30000 gal

Load Cap: 100ton

Quantity Avail: 7

Notes:

Expounding Info:

7 DOT 111A OIL RAIL TANK CARS INTERCHANGABLE 30000 GAL 263 CARS

7 CARS TOTAL PRICE IS PER CAR SELLING AS A GROUP ONLY, WILL

NOT BREAK UP . 7 CARS, TOTAL PRICE--\$206,500.00 USD LOCATED

IN 3 PLACES LOS ANGELES-- 3 CARS TEXAS-- 3 CARS NEW MEXICO--

1 CAR 30000 GAL 263 GRL CARS IN SERVICE TODAY AND CERTIFIED

CURRENTLY BEING USED IN COOKING OIL SERVICE PREVIOUSLY USED

FOR BIODIESEL-RENEWABLE DIESEL. COOKING OIL WOULD BE A

SEAMLESS FIT. CERTIFIED UNTIL 2027 POSSIBLE FREE MOVE. BUYER

CAN USE CURRENT OWNERS MARKS TO MOVE THEM IF ALLOWED BY

UMLER, THE CURRENT OWNER WOULD BE WILLING TO TRANSFER THEIR

OWNERS MARKS TO BUYER AVAILABLE FOR INSPECTIONS BUT ARE

MOVING TARGETS AND YOU MAY JUST WANT TO INSPECT A FEW, ALL

ARE IN SIMILAR GREAT CONDITION. MORE PICS AND DETAILS COMING

SOON. CALL TO SET UP YOUR INSPECTION WE WILL HOLD THE CARS

WITH A PROPER LOI AND A DEPOSIT Seven total General Purpose

Railcars

30,000 gallon DOT111A,

263k GRL, Tank Cars

Previously in Used Cooking Oil service

biodiesel, Renewable diesel, cooking oil would seamless fits

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-05.10.24-00



T-06.24.21-00

Category:	Tank Car
AAR Car Type:	T108
Sale Type:	Sale Only
Year(s) Built:	2008
Gallons:	30000
Load Cap:	100ton
Length:	59ft 9in outside
Quantity Avail:	7

Notes:

Expounding Info:

Tank Equipment Type T108
 Sale only
 will need recertification
 Built Date 02/01/2008
 Were Diesel Fuel now in storage of fertilizer
 End of Service Date 02/01/2058
 Gross Rail Load/Weight 263000 lb
 Tare Weight 66600 lb
 Load Limit 196400 lb
 Gallonage Capacity 30000 usgl
 Plate Code C
 Outside Length 59 Ft 9 In
 Outside Extreme Width 10 Ft 8 In
 Outside Extreme Height 15 Ft 4 In
 Outside Height Extr Width 3 Ft 5 In
 Truck Center Length 46 Ft 4 In
 111A100W1 DOT
 Bottom Outlet/Fitting TypA308 Value C Bottom Outlet & Sump
 Bottom Outlet Valve External Bottom Outlet Ball Valve

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-06.24.21-00



T-07.07.22-00

Category:	Tank Car
AAR Car Type:	T109
Sale Type:	Sale or Lease
Year(s) Built:	1999
Gallons:	34257 gal
Load Cap:	286cap
Length:	67ft 1in outside
Quantity Avail:	76

Notes:

Expounding Info:

Mechanical Tank
 Sale or lease
 Equipment Type T109
 Cars do not have bottom outlet valves
 Gross Rail Load/Weigh 286000 lb
 Tare Weight 73000 lb
 Load Limit 213000 lb
 Gallon 34257 usg
 Plate Code C
 Outside Length 67 Ft 1 In
 Outside Extreme Width 10 Ft 5 In
 Outside Extreme Height 15 Ft 5 In
 Outside Height Extr Width 3 Ft 0 In
 Truck Center Length 63 Ft 5 In

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-07.07.22-00



T-07.16.24-00

Category:	Tank Car
AAR Car Type:	T106
Sale Type:	Lease Only
Gallons:	23500 gal
Load Cap:	100ton
Length:	55ft 5in outside
Quantity Avail:	10

Notes:

Expounding Info:

Tank Cars for Lease
Equipment Type Code T106
Gross Rail Load/Weight 263000 lb
Tare Weight 71500 lb
Load Limit 191500 lb
Gallonge Capacity 23683 usgl
Plate Code B
Outside Length 55 Ft 5 In
Outside Extreme Width 10 Ft 8 In
Outside Extreme Height 15 Ft 1 In
Outside Height Extr Width 8 Ft 0 In
Truck Center Length 41 Ft 9 In
General Service Carbon Steel Tank Welded or Riveted Includes Rubber Lined
non-hazard commodity service; tallows, fats & oils
Design Shipping Cont Spec 111A100W3 - DOT 111A100W3
Stenciled Shipping Spec 111A100W3 - Major Class 10/18 - DOT 111A100W3
Stub Sill Design Type TRNTY3 - TRNTY3 Stub Sill Design
Coils Exterior/Interior E – Exterior
Insulatn/Thrmal Prot Type FG - Standard Fiberglass
Bottom Outlet/Fitting Typ B - Bottom Outlet
Bottom Outlet Count 1
General Purpose (GP), Externally Coiled & Insulated, not lined
Coming from non-hazard commodity service; tallows, fats & oils and would need to go in something similar.
Car Locations (Running / Various)
Full-Service Lease [For Lease Only]

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-07.16.24-00



T-07.17.24-00

Category:	Tank Car
AAR Car Type:	T 107
Sale Type:	Lease Only
Gallons:	25352
Load Cap:	100ton
Length:	56ft 8in
Quantity Avail:	30

Notes:

Expounding Info:

Equipment Type T107
Gross Rail Load/Weight 263000 lb
Tare Weight 74400 lb
Load Limit 188600 lb
Gallonage Capacity 25532 usgl
Plate Code C
Outside Length 56 Ft 8 In
Outside Extreme Width 10 Ft 8 In
Outside Extreme Height 14 Ft 11 In
Outside Height Extr Width 4 Ft 1 In
111A100W1 - Major Class 10/18 - DOT 111A100W1
Non-hazard commodity service; tallows, fats & oils
TRNTY3 - TRNTY3 Stub Sill Design
Coil Material C - Carbon Steel
Coils Exterior/Interior Exte
Insulatn/Thrmal FG - Standard Fiberglass
Bottom Outlet Count 1
General Purpose (GP), Externally Coiled & Insulated, not lined
Coming from non-hazard commodity service; tallows, fats & oils and would need to go in something similar.
Car Locations (Running / Various)
Full-Service Lease [For Lease Only]

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-07.17.24-00



T-07.17.24-01

Category:	Tank Car
AAR Car Type:	T108
Sale Type:	Lease Only
Gallons:	28170gal
Load Cap:	286cap
Length:	59ft 0in
Quantity Avail:	20

Notes:

Expounding Info:

Equipment Type Code T108
 Gross Rail Load/Weight 286000 lb
 Tare Weight 76000 lb
 Load Limit 210000 lb
 Gallonage Capacity 28170 usgl
 Plate Code C
 Outside Length 59 Ft 0 In
 Outside Extreme Width 10 Ft 7 In
 Outside Extreme Height 15 Ft 6 In
 Outside Height Extr Width 8 Ft 0 In
 Truck Center Length 45 Ft 5 In
 General Service Carbon Steel Tank Welded or Riveted Includes Rubber Lined
 Non-hazard commodity service; tallows, fats & oils
 Design Shipping Cont Spec 111A100W1 - DOT 111A100W1
 TRN023 Stub Sill Design
 Coil Material Carbon Steel
 Coils Exterior/Interior E – Exterior
 Insulatn/Thrmal Standard Fiberglass
 Bottom Outlet Count 1
 General Purpose (GP), Externally Coiled & Insulated, not lined
 Coming from non-hazard commodity service; tallows, fats & oils and would need to go in something similar.
 Car Locations (Running / Various)
 Full-Service Lease [For Lease Only]

More information is available on our website or at:
https://www.prscorp.net/ref_details.php?ref=T-07.17.24-01



T-11.06.24-00

Category: Tank Car

AAR Car Type: Dot 111A

Sale Type: Sale Only

Year(s) Built: 1980

Gallons: 23500 gal

Load Cap: 100ton

Quantity Avail: 1

Notes:

Expounding Info:

built 1980

23,500 gallon.

Dot 111A

It would have free freight.

The owner promised to cover any repairs until it gets to end location.

It is DIRTY with fuel oil.

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-11.06.24-00



T-11.07.24-00

Category:	Tank Car
AAR Car Type:	Dot111A
Sale Type:	Sale Only
Year(s) Built:	1980
Gallons:	17500gal
Load Cap:	100ton
Length:	45ft 6 1/2in Over st
Quantity Avail:	1

Notes:

Expounding Info:

Currently in service that can be diverted when empty on lease return with some free freight.

45ft 6 1/2in Over strikers

Insulated

Liquid fertilizer service

Bottom Outlet

1980 UTC Tank car 17.5Kgal C&I lined 263K

Currently running in Midwest,

Free partial move into service

Sold As is Where is

Line drawing available

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-11.07.24-00



T-11.12.24-00

Category:	Tank Car
AAR Car Type:	T 106
Sale Type:	Sale Only
Gallons:	23673
Load Cap:	100ton
Length:	50ft 8in
Quantity Avail:	1

Notes:

Expounding Info:

Car is good for training
 Mechanical Designation T Tank
 Equipment Type Code T106
 Gross Rail Load Weight 263000 lb
 Tare Weight 76900 lb
 Load Limit 186100 lb
 Gallonage Capacity 23673 usgl
 Plate Code B
 Outside Length 59 Ft 8 In
 Outside Extreme Width 10 Ft 4 In
 Outside Extreme Height 14 Ft 7 In
 Outside Height Extr Width 4 Ft 0 In
 111A100W3 Major Class 10.18 DOT 111A100W3
 Coil Material C Carbon Steel
 Coils Exterior Interior E Exterior
 Insulatn Thrmal Prot Type FT High Temp Fiberglass
 Insulation Thickness 4.0 99.9 in
 currently in Newcastle, PA

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-11.12.24-00